ENRON

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

August 8, 1991

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

RE: NOTICE OF STAKING

CHAPITA WELLS UNIT 321-26

Sec. 26, T9S, R22E

43.047-01000 Uintah County, Utah

Lease No. U-0285A

Dear Mr. Forsman:

Attached is a Notice of Staking on the subject well.

If you require further information, please contact this office.

Verystruly yours,

ENRON OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

Attachment

cc: Division of Oil Gas & Mining

Doug Weaver/Rod Mellot

Darrell Zlomke

File

/1w NOSLTR

AUG 1 2 1991

DIVISION OF OIL GAS & MINING

NOTICE OF STAKING	BNDC 8/4/81	* E.	Lease Number			
Application to Drill Form 9-331	-C)		U-0285A			
1. Oil Well Gas Well XX			It Indian, Allottee of Unit Agreement Na			
2. Name of Operator			Chapita Wells	Unit		
Enron Oil & Gas Compa	ny	8.	8. Farm or Lease Name			
3. Address of Operator or Agent			Chapita Wells	Unit		
P.O. Box 1815, Vernal	, Utah 84078	9.	Well No.			
4. Surface Location of Well (Governmental 1/4 or 1/4 1/4)		10.	321-26 10. Field or Wildcat Name			
1153' FNL & 1867' FWL	NE/NW		CWU/Wasatch			
Attach: Topographical or other showing location, acc	11.	Sec., T., R., M., or Bik and Survey or Sec. 26, T95,		32100		
14. Formation Objective(s)	15. Estimated Well Depth	192	County or Parish	13. State		
Wasatch	6705'	12.	Uintah	Utah		
 a. Location must staked - C b. Access Road Flagged - C c. Sketch and/or map of loca (To be provided at onsite) 17. To Be Considered By Operate a. H₂S Potential - NA b. Private Surface Ownership c. Cultural Resources (Archaed. Federal Right of Way 	ompleted tion, showing road, pad dimens ors Prior to Onsite - NA	ions, res	erve pit, cuts, and fil	is	•	
18. Additional Information						
19. Signed Linguil. 1842	Title Sr. Pr	rod. F	oreman OBCEN AUG 1 2 1	8/8/91		

DIVISION OF OIL GAS & MINING



OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

September 11, 1991

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

> RE: APPLICATION FOR PERMIT TO DRILL CHAPITA WELLS UNIT 321-26

SECTION 26, T9S, R22E UINTAH COUNTY, UTAH LEASE NO. U-0285A

Dear Mr. Forsman:

Enclosed are the original and two (2) copies of the Application for Permit to Drill and associated attachments for the referenced well.

If further information is required regarding this matter, please contact this office.

Sincerely,

ENROW OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

Attachments

cc: State Division of Oil, Gas & Mining

D. Weaver/T. Miller

D. Zlomke

File

SEP 1 2 1991

DIVISION OF OIL GAS & MINING

/1w

CWU321-26APD

Form 3160-3 (November 1983)

SUBMIT IN T (Other instructions on

Form approved. Budget Bureau No. 1004-0136


(formerly 9-331C)		ED STATES		rerse side)	Expires August 31, 1985
	DEPARTMENT	OF THE I	NTERIOR		5. LEASE DESIGNATION AND SERIAL NO.
	BUREAU OF	LAND MANAG	EMENT		U-0285A
APPLICATION	FOR PERMIT 1	O DRILL, D	EEPEN, OR PLU	JG BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK					7. UNIT AGREEMENT NAME
	L K	DEEPEN [_ PLUG	BACK 🗌	
D. TYPE OF WELL	8 6 7		SINGLE []	MULTIPLE [Chapita Wells Unit
2. NAME OF OPERATOR	LL OTHER	 		ZONE L	Chapita Wells Unit
	יא ג כא כ כסשם אוי	v			9. WELL NO.
3. ADDRESS OF OPERATOR	& GAS COMPAN	I			321-26
	815, VERNAL,	ከሞለሀ ይ	1078		10. FIELD AND POOL, OR WILRCAT
4. LOCATION OF WELL (Re				•)	CWU/Wasateh Patrical
NE/NW 1153 At proposed prod. sone	' FNL & 1867	' FWL			11. BBC., T., R., M., OR BLK. AND SURVEY OR AREA CO
				···	Sec. 26, T9S, R22E
14. DISTANCE IN MILES AN			OFFICE*		12. COUNTY OF PARISH 13. STATE
	West of Bona	uza, Ulan	4.0		Uintah Utah
15. DISTANCE FROM PROPOS LOCATION TO NEABEST PROPERTY OR LEASE LI (Also to nearest drig.	NE. FT. 1153'		16. NO. OF ACRES IN LEA 1800±		OF ACRES ASSIGNED THIS WELL
18. DISTANCE FROM PROPO	SED LOCATION*		19. PROPOSED DEPTH	20. ROT	TABY OR CABLE TOOLS
TO NEAREST WELL, DR. OR APPLIED FOR, ON THIS		x. 2250'	~ 7300' WST	ر ا R	Rotary
21. ELEVATIONS (Show whet					22. APPROX. DATE WORK WILL START*
Prepared (Ground Elev.	4999'			9/91
23.	P	ROPOSED CASIN	G AND CEMENTING P	ROGRAM	
SIZE OF HOLE	BIZE OF CABING	WEIGHT PER FO	OT SETTING DEPT		QUANTITY OF CEMENT
12 1/4"	9 5/8"	32.3#	200'		sx Class "G" cmt & 2%
7 7/8"	4 1/2"	11.6	7400'		2 +½# sx celloflake
		See Line of the last of the la	BIVEU	salt of i Ligh	O Pozmix + 2% gel + 10% to 400' above all zone nterest (+10% excess). t cmt (11 PPG ±) + LCM
		Str	1 2 1991		00' above oil shales or
					h water intervals (5%
SEE ATTACHME	NTS FOR:	DIV	ISION OF	exce	ss).
0 5-3-4 53		Oil G	S & MINING		
8 Point Plan					
Drilling Prog		-	011 - 0		7.7
BOP Schematic			ron Oil & Ga		
Surface Use &		_	signated ope		-
Location Plat		we	ell under nat	ion wide	Bond #74563.
Location Layo		1 558 1101			
Topographic N Well Site Dia		and C			
one. If proposal is to di	PROPOSED PROGRAM: If prill or deepen directional	proposal is to deep lly, give pertinent	en or plug back, give data data on subsurface locati	a on present pro	eductive sone and proposed new productive ed and true vertical depths. Give blowout
preventer program, if any.					
	1 11				0.411.401

(This space for Federal or State office use) PERMIT NO. APPROVAL DATE _ APPROVED BY THE STATE OF UTAH DIVISION OF APPROVED BY . CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side ELL SPACING: P615-2-3

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false. fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

T9S, R22E, S.L.B.&M.




ENRON OIL & GAS CO.

Well location, CWU #321-26, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NW CORNER OF SECTION 26, T9S, R22E, S.L.B.&M. TAKEN FROM THE RED WASH SW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4973 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELSE

REGISTERED LAND SURVEYOR REGISTRATION NO. 5709 STATE OF UPLAH

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX 1758 - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 8-1-91			
PARTY G.S. R.A. R.E.H.	REFERENCES G.L.O. PLAT			
WEATHER HOT	FILE ENRON OIL & GAS CO.			

EIGHT POINT PLAN

CHAPITA WELLS UNIT 321-26 SECTION 26, T9S, R22E UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OI , GAS & WATER ZONES:

FORMATIONS	DEPTH	TYPE ZONES	MAXIMUM PRESSURE
Uinta	Surface		
Green River			
"H" Marker	3,047′		
"J" Marker	3,693′		
Base "M" Marker	4,265'		
Wasatch			
Peters Point	4,672	Gas	2,300 PSI
Chapita Wells	5,202	Gas	2,600 PSI
Buck Canyon	5,762	Gas	2,900 PSI
Island	6,685	Gas	3,300 PSI
EST. TD	7,300′	Anticipated BHP	3,400 PSI

All depths are based on estimated KB elevation 5,012'. Maximum pressure estimates are based on bottom hole pressures measured on offset or near vicinity wells to the subject well.

3. PRESSURE CONTROL EQUIPMENT: BOP Schematic Diagram attached.

4. CASING PROGRAM:

				MINIMUM SAFETY FACTOR
HOLE SIZE	INTERVAL	LENGTH SIZE	WEIGHT GRADE	COLLAPSE BURST TENSILE
12 1/4"	0' -200'	200′ 9 5/8"	32.3# H-40 ST&C	1400 PSI 2270 PSI 254,000#
7 7/8"	0'-7400'	7400′ 4 1/2"	11.6# J-55 LT&C	4960 PSI 5350 PSI 154,000#

All casing to be used will be new or inspected.

EIGHT POINT PLAN

CHAPITA WELLS UNIT 321-26 PAGE NO. 2

5. MUD PROGRAM:

INTERVAL

MUD TYPE

Air

0' - 200' 200' - **4**000'

Air/Water

4000' - TD

Air/3% KCl water

Severe lost circulation probable from 1000' to 3000'. Sufficient mud inventory will be maintained on location during drilling to handle any adverse conditions that may arise. 400 bbls of 10.0 brine water will be stored on location for well control if needed.

6. **EVALUATION PROGRAM:**

Logs:

Dual Laterolog/GR

From base of surface casing to TD.

FDC-CNL/GR/Caliper

TD to 2800'.

0-150 GR, 2.68 FDC, 0-100 Linear 2" DDL.

Cores:

None Programmed. None Programmed.

DST':

Completion: To be submitted at a later date.

7. ABNORMAL CONDITIONS:

None anticipated.

8. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- 2. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

Attachment: BOP Schematic Diagram

DRILLING PROGRAM

REVISION NO. & DATE:

PROSPECT: CHAPITA WELLS UNIT LEASE: U-0285-A (0050530-000)

WELL NUMBER: Chapita Wells Unit 321-26

WELL CLASSIFICATION: DW-GAS ANTICIPATED PRODUCTION: OIL GAS X OTHER

LOCATION CALL: 1153' FNL & 1867' FWL (NE NW)

Section 26, T9S, R22E

Uintah County, Utah

ELEVATION: 4999' GL, 5011' KB (estimated)

DIRECTION LIMITATIONS: Maximum deviation for the hole will be 6* w/no more than a 1*/100' dogled severity. See page number 4 for distance between surveys.

TYPE RIG: Land Rotary APPROVED DEPTH: 7300' PERMIT DEPTH: 7300'

CONDUCTOR NEEDED? No If yes, size & how set:

HOLE SIZE	CASING SIZE	DEPTH	CEMENT PROGRAM
12¼"	95%11	200'	Cement w/125 sx Class "G" cement + 2% $CaCl_2 + \frac{1}{4}\#/sx$ celloflake. Circulate water ahead of slurry.
7 ¹ / ₄ "	4½"	7300'	Cover interval from TD to 4200'± w/50/50 Pozmix + 2% gel + 10% salt. Volume to be calculated from caliper log annular volume to 4200'± plus 10% excess. Cover interval from 4200'± to depth specified in conditions of approval with light cement plus specified additives. Volume to be calculated from caliper log annular volume from 4200'± to applicable upper depth plus 5% excess. Circulate casing 2 hrs before cementing. Reciprocate casing during cementing. Pump 20 bbls fresh water ahead of slurry.

CRITERIA FOR DETERMINING CASING SEAT FOR CRITICAL STRINGS: WOC overnight before cutting off surface casing to weld on head.



WELL NAME: CHAPITA WELLS UNIT 321-26

CENTRALIZERS (DEPTH & TYPE):
Surface - One 5-10' above shoe & top of first, second & fourth joint.
Production - One @ middle of 1st jt, every third collar to 4500't, and every
other collar across other zones of interest.
STAGE COLLARS, BASKETS, OTHER SPECIAL EQUIPMENT:
Surface - Guide shoe
Production - Float shoe and differential fill float collar with top plug.
Marker joints @ 3000'± and 5000'±.
PUMPING RATES/SPECIAL INSTRUCTIONS: Circulate casing two hours prior to
cementing. Reciprocate casing.
LOGGING PROGRAM: DLL/GR from TD to base of surface casing.
FDC/CNL/GR/caliper from TD to 2900'± (100' above "H" Marker)
Continue caliper to desired top of cement,
CORES: None are anticipated.
SAMPLES: Collect 30' samples from below surface casing to 4100'±. Collect 10'
samples from 4100'± to TD.
FORMATION TESTS: None are anticipated.
MUD LOGGING: (Includes services & depth): From 4100't to TD.
DETECTION & CONTROL EQUIPMENT:10" 900 Series (3000 psig) BOP with blind and
pipe rams. 10" 900 Series Annular Preventor. 10" rotating head. Test manifold
and BOP's to 3000 psig, annular preventor to 1500 psig, surface casing to 1500
psiq. Use Certified pressure testing service company and leave a copy of the
test chart in the doghouse until rig down.

WEDD NAME. CHAPTIA WEDES UNIT 321-26
COMPLETION PROGRAM:To be submitted at a later date.
OTHER SERVICES: None are anticipated.
FORMATION TOPS & DEPTHS (tentative) FORMATION NAME & TYPE ESTIMATED DEPTH (EL) DATUM THICKNESS & REMARKS
See attached Prognosis.
X-MAS TREE: 10" 3000# weld on casing head, 6" 3000# x 10" 3000# tubing spool, 2-1/16" 3000# master valves.

MUD PROGRAM

DEPTH	MUD			WATER		TYPE OF
INTERVAL	WEIGHT	VIS	Cl OIL	LOSS (CC)		MUD
0' to 200'					Air	
200' to 4000'					Air/Water	
4000' to TD					Air/3% KCl	water

NOTE #1: Severe lost circulation probable from 1000' to 3000'.

NOTE #2: Maintain 400 bbls of 10.0 ppg brine water on location for well control.

WELL NAME: CHAPITA WELLS UNIT 321-26

DRILLING HAZARDS & SPECIAL INSTRUCTIONS: Lost circulation from 1000' to 3000't. Underbalanced circulation system will require rotating head Potential gas kicks in Green River and Wasatch. Potential shale swelling/ sloughing problems. Utilize packoff head while running open hole logs. ppg brine water for well control on trips, if necessary

CASING & TUBING PROGRAM

	INTE	RVAL		WEI	GHT		MINIMUM	SAFETY	FACTOR
SIZE	FROM	TO	LENGTH	*			COLLAPSE (psig)	BURST	TENSILE
9-5/8"	0'	200'	200'	32.3#	H-40	ST&C	1400	2270	254,000
4-1/2"	0'	7400'	7400'	11.6#	J-55	LT&C	4960	5350	154,000

SURVEY SCHEDULE

MAXIMUM DISTANCE DEVIATIONS MAXIMUM CHANGE DEPTH BETWEEN SURVEYS FROM VERTICAL DEGREES/100' 0' to 200' 200' 1 degree 1 degree 200' to TD 500' 6 degrees 1 degree (or as needed)

PREPARED BY:

Jim R. Schaefer, Sr. Production Engineer

APPROVED BY:

Dennis J. Brabec, Drilling Superintendent


APPROVED BY:

strict Manager

RGT

{CWU-321}

ANNULAR PREVENTOR AND BOTH RAMS ARE 900 SERIES. CASING FLANGE IS 10" 900 SERIES. BOPE 9" 3000#



CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:	Enron Oil & Gas Company
Well Name & Number: _	Chapita Wells Unit 321-26
Lease Number:	U-0285A
Location: 1153' FNL	& 1867' FWL NE/NW Sec. 26 T. 9S R. 22E
Surface Ownership:	Federal Lands - BLM

NOTIFICATION REQUIREMENTS

Location Construction -	forty-eight (48) hours prior to construction of
	location and access roads.

Location Completion	-	prior	to	moving	on	the	drilling	rig.
---------------------	---	-------	----	--------	----	-----	----------	------

Spud Notice	-	at least twenty-four (24) hours prior to spudding
-		the well.

		_					_	_	
Casing String and	-	twenty-four	(24)	hours	prior	to	running	casing	and
Cementing		cementing al			•		J	J	

BOP and related	-	twenty-four	(24)	hours	prior	to	running	casing	and
Equipment Tests		tests.	` '		•		•	J	

First Production	-	within five (5) business days after new well begins
Notice		or production resumes after well has been off
		production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing road.
- B. The proposed well site is located approximately 14 1/2 miles west of Bonanza, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. Location access will be 0.6 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/18 foot running surface.
- C. Maximum grade on access road will be 5%.
- D. No turn outs will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges or major cuts & fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossing shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

No Right-of-Way applications will be required.

As operator Enron Oil & Gas Company shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION

- A. Water wells None.
- B. Abandoned wells None
- C. Temporarily abandoned wells None
- D. Disposal wells None
- E. Drilling wells None
- F. Producing wells Ten See attached TOPO Map "C" for location of producing wells.
- G. Shut in wells None
- H. Injection wells None

4. LOCATION OF EXISTING/AND OR PROPOSED FACILITIES

- A. ON WELL PAD
 - 1. Tank batteries None
 - Production facilities will be set on location if well is successfully completed for production. Facilities will consist of well head & valves, separator, dehy, 210 BBl condensate tank, meter house and attaching piping.
 See attached facility diagram.
 - 3. Oil gathering lines None
 - 4. A 2 1/2" gathering line will be buried from dehy to east edge of location.
 - 5. Injection lines None
 - 6. Disposal lines None
 - 7. Surface pits None

B. OFF WELL PAD

- 1. Proposed location of attendant off pad gas flowlines shall be flagged prior to archaeological clearance.
- 2. A 4 1/2" OD steel above ground natural gas pipeline will be laid approximately 3200' from proposed location to a point in the NE/NW of Sec. 26, T9S, R22E where it will tie into Questar Pipeline Co.s' existing line. Proposed pipeline crosses BLM administered lands within the Chapita Wells Unit, thus no Right-of-Way grant will be required. See attached Exhibit A showing pipeline route.
- Proposed gas gathering pipeline will be a 4 1/2" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the north side of location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint colors is Carlsbad Canyon. If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.s' water source in the SW/SW Sec. 35, T9S, R22E, Uintah County, Utah (State water right #49-1501).
- B. Water will be hauled by Target Trucking Inc.
- C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of location.
- B. All construction material will come from Federal Land.
- C. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL

- A. METHODS AND LOCATION
 - 1. Cuttings will be confined in the reserve pit.
 - 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
 - 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at an approved waste disposal facility.
 - 4. Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 days period, an application for approval of a permanent disposal method and location, together with the required water analysis, will be submitted for the AO's approval
 - 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on drilling rig to avoid leakage of oil to pit.

B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in reserve pit or be removed and dispose of at an authorized disposal site. Introduction of well bore hydrocarbons to reserve pit will be avoided by flaring them off in flare pit at time of recovery.

Burning will not be allowed. all trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge.

The reserve pit shall be lined. After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

9. WELL SITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills & cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approve on On-site.
- C. Refer to attached well site plat for rig orientation parking areas, and access road.

The reserve pit will be located on the south side of location. The flare pit will be located downwind of the prevailing wind direction on the south side of location a minimum of 100 feet from the well head and 30 feet from the reserve pit fence. The stockpiled topsoil will be stored on the west end of location.

Access to the well pad will be from the north.

NA	Diversion ditch(es) shall be construct on the
	side of the location (above/below) the cut slope, draining to
	the
<u>NA</u>	Soil compacted earthen berm(s) shall be placed on the
	side(s) of the location between the
NA	The drainage(s) shall be diverted around the side(s) of the well p[ad
	location.
	The reserve pit will be constructed long and narrow and 9" deep for
	topographic reasons

The northwest corner of the well pad will be rounded off to avoid the steep slope. North edge of location will be moved in to avoid spilling material over edge and into drainage.

FENCING REQUIREMENTS

All pits will be fenced according to the following minimum standards:

- A. 39 inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total eight of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16'.
- E. All wire shall be stretched by using a stretching device before is be attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed

within 90 days from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc., will be removed. Contact appropriate surface management agency for required seed mixture.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIT	L. <u>SURFA</u>	CE OWN	<u>vershii</u>
-----------------------	-----------------	--------	----------------

Access road	: <u>Federal</u>
Location:	Federal

12. OTHER INFORMATION

A. Enron Oil & Gas Company will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. if historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of historic Places;

The mitigation measures the operator will likely have to undertake before the site can be used.

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, 9hat the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guideline for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

B. As operator Enron Oil & Gas Company will control noxious weeds along Right-of-Ways for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization os obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for for stacking and storing drilling rigs.)

D. A silt catchment dam and basin will be constructed according to BLM specifications approximately 350 ft. north of the location, where

flagged during onsite.

Addi	tion	al	Surface Stipulations
	NA	No	construction or drilling activities shall be conducted betweenandbecause of
,	NA_		surface occupancy will be allowed within 1,000 feet of any sage ouse strutting ground.
		No mi	construction or exploration activities are permitted within 1.5 le radius of sage grouse strutting grounds from April 1 to June 30
-	NA	The	ere shall be no surface disturbance within 600 feet of live water ncludes stock tanks, springs, and guzzlers).
		Por app	cottonwood trees will be removed or damaged. nd will be constructed according to BLM specifications proximatelyftof the location, as flagged onsite.

LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Enron Oil and Gas Company P.O. Box 1815 Vernal, Utah 84078 George McBride Telephone: (801) 789-0790

Enron Oil and Gas Company P.O. Box 250 Big Piney, Wyoming Jim Schaefer Telephone: (307) 276-3331

All lease/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. Enron Oil & Gas Company is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.


Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in the Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed here in will be performed by ENRON OIL & GAS COMPANY and its contractors and sub-contractors in conformity with this Plan and the terms and conditions under which it is approved


1/1/9/ DATE


GEORGE R. MCBRIDE PRODUCTION FOREMAN


IW CWU321-26PP















OPERATOR ENON Oil : Cas Co N-0401 . DATE 4-16-91
WELL NAME CWU 301-010
SEC NEND DIG T 95 R ODE COUNTY HINTAH
43.047-30100 teducal (1) API NUMBER TYPE OF LEASE
CHECK OFF:
PLAT. NEAREST WELL
LEASE FIELD POTASH OR OTL SHALE
PROCESSING COMMENTS: Uncluder in 91 amended POD approfed. 9.4.91. Water Permit 19.1501 darget descript. Oil Shale and
APPROVAL LETTER:
SPACING: R615-2-3 Chapita wells Unit R515-3-2
CAUSE NO. & DATE R615-3-3
STIPULATIONS:
1-Oil Shale



State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

September 16, 1991

Enron Oil & Gas Company P. O. Box 1815 Vernal, Utah 84078

Gentlemen:

Re: CWU 321-26 Well, 1153 feet from the North line, 1867 feet from the West line, NE NW, Section 26, Township 9 South, Range 22 East, Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Utah Code Ann. Section 40-6-18, et seq. (1953, as amended), and Utah Admin. R.615-2-3, subject to the following stipulation:

1. Special attention is directed to compliance with Utah Admin. R.6l5-3-34, which prescribes drilling procedures for designated oil shale areas.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801) 538-5340, (Home) (801) 476-8613, or R. J. Firth, Associate Director, (Home) (80I) 571-6068.
- 5. Compliance with the requirements of Utah Admin. R.6l5-3-20, Gas Flaring or Venting.

Page 2 Enron Oil & Gas Company CWU 321-26 September 16, 1991

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-32100.

Sincerely,

Associate Director, Oil & Gas

tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-4

* Form 3160-3 (November 1983) (fepmerly \$4,331C

DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE. (Other Instruc

noun abbiosed.	
Budge! Bureau No. 1	004-0134
Expires August 31, 1	985

S. LEARE DESIGNATION AND BERIAL NO.

		LAND MANAGEME			U-0285A	
APPLICATION	Y FOR PERMIT	TO DRILL, DEEP	PEN, OR PLUG	BACK	6 IF INDIAN. ALLOTTER OF TE	IBE NAME
S. TYPE OF WORL	ILL XX	DEEPEN [PLUG BA		NA TUNIT AGREEMENT NAME	** 3.1
D. TYPE OF WELL					Chapita Wells	Unit
WELL G.	ELL OTHER		BINGLE MULTI	, LI	E. FARN OR LEASE NAME Chapita Wells	IIni+
	Gas Company	,			9. WELL No.	
ADDRESS OF OPERATOR	das company				321-26	
	315, Vernal,	Utah 84078			10. FIELD AND POOL, OR WIL	DCAT
LOCATION OF WELL (R		d in accordance with any	State requirements.*)		CWU/Wasatch	
NE/NW 1263	3' FNL & 231,8	FWL.			11. BBC., T., B., M., OF BLE. AND SURVEY OF AREA	· *
At proposed prod. son	·e /	3 0	-30100		Sec. 26, T9S,	R22E
DISTANCE IN MILES	AND DIRECTION PROM NEA	REST TOWN OF POST OFFI			12. COUNTY OR PARISE 18.	
	West of Bona		-			Itah
. DISTANCE FROM PROPE	38CF.*		G OF ACRES IN LEASE	17. No. C	OF ACRES ASSIGNED	
PROPERTY OR LEASE 1 (Also to Degree; drig	INE, PT.		1800±	*87	HIS WELL	
. DISTANCE FROM PROP TO NEAREST WELL, D	RILLING, COMPLETED,	1	ROPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS	
OR APPLIED FOR, ON TH	Appro	x. 2625'	7300 '	l Ro	tary	
ELEVATIONS (Show who					22. APPROX. DATE WORE WI	LL START
Prepared Gr	cound Elev. 5				11/91	
	1	PROPOSED CASING AN	D CEMENTING PROGR	AM		
SIZE OF BOLE	BIZE OF CABING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT	
.2 1/4"	9 5/8"	32.3#	200'	-	x Class "G" cmt	
7 7/0"	4 1/2"	11 64	- 4001		. 1"	
7 7/8"	4 1/2	11.6#	7400'		+ ¼# sx cellof	
1 1/0	4 1/2	11.0#	7400'	50/50	Pozmix + 2% ge	1 + 10
1 1/0	4 1/2	11.0#	/400	50/50 salt	Pozmix + 2% ge to 400' above a	21 + 10
1 1/0	4 1/2		7400	50/50 salt of in	Pozmix + 2% ge to 400' above a terest (+10% ex	el + 10 all zor cess).
1 1/0	4 1/2		7400	50/50 salt of in Lite	Pozmix + 2% get to 400' above a terest (+10% ex cmt (11 PPG±) +	el + 10 all zon ccess). LCM
1 1/0	4 1/2	DIE GIS		50/50 salt of in Lite to 10	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh	el + 10 all zon ccess). LCM nales c
		NOV 0 7		50/50 salt of in Lite to 10 fresh	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM nales c
		NOV 0 7	1991	50/50 salt of in Lite to 10	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM males c
SEE ATTACHME	ENTS FOR:	NOV 0 7	1991 NOF	50/50 salt of in Lite to 10 fresh	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM males c
SEE ATTACHME 3 Point Plar	ENTS FOR:	NOV 0 7	1991 NOF	50/50 salt of in Lite to 10 fresh	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM aales c
SEE ATTACHME 3 Point Plar Drilling Pro	ENTS FOR:	NOV 0 7	1991 NOF	50/50 salt of in Lite to 10 fresh	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM aales c
SEE ATTACHME B Point Plar Drilling Pro BOP Schemati	ENTS FOR:	NOV 0 7 DIVISION OIL GAS &	1991 NOF	50/50 salt of in Lite to 10 fresh	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon ccess). LCM aales c
SEE ATTACHME 3 Point Plar Orilling Pro 3OP Schemati Surface Use	ENTS FOR: ogram ic and Operatin	NOV 0 7 DIVISION OIL GAS &	1991 NOF MINENG	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% ge to 400' above a terest (+10% ex cmt (11 PPG±) + 0' above oil sh water interval	el + 10 all zon acess). LCM nales on s (5%
SEE ATTACHME B Point Plar Drilling Pro BOP Schemati Surface Use Location Pla	ENTS FOR: ogram ic and Operatin	NOV 0 7 DIVISION OIL GAS &	1991 NOF MINING Enron Oil	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% geto 400' above atterest (+10% excmt (11 PPG±) + 00' above oil showater interval	el + 10 ill zor icess). LCM nales c s (5%
SEE ATTACHME Point Plar Orilling Pro BOP Schemati Surface Use Location Pla	ENTS FOR: ogram ic and Operatin	NOV 0 7 DIVISION OIL GAS &	1991 NOF MINING Enron Oil designate	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalus).	el + 10 ill zon icess). LCM hales c s (5%
SEE ATTACHME Point Plar Orilling Pro 3OP Schemati Surface Use Location Pla Location Lay	ENTS FOR: ogram ic and Operatinat yout Maps "A:, "E	NOV 0 7 DIVISION OIL GAS &	1991 NOF MINING Enron Oil designate	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% get to 400' above atterest (+10% excmt (11 PPG±) + 100' above oil showater intervalues). Co. will be the cator of the sub	el + 10 ill zon icess). LCM hales c s (5%
SEE ATTACHME B Point Plar Drilling Pro BOP Schemati Surface Use Location Pla Location Lay Topographic Well Site Di	ENTS FOR: ogram c and Operating at out Maps "A:, "E lagram proposed Program: If	NOV 07 DIVISION OIL GAS & Ing Plan B" and "C" Proposal is to deepen or	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% get to 400' above atterest (+10% excmt (11 PPG±) + 100' above oil showater intervalues). Co. will be the cator of the sub	el + 10 ill zon icess). LCM hales con s (5%
SEE ATTACHME 8 Point Plar Drilling Pro BOP Schemati Surface Use Location Pla Location Lay Topographic Well Site Di ABOY: SPACE DESCRIBE OTER TOPOGRAM IS ANOTOTION TO ANOTOTIO	ENTS FOR: ogram ic and Operating at yout Maps "A:, "E lagram proposed Program: If drill or deepen directions	NOV 07 DIVISION OIL GAS & Ing Plan B" and "C" Proposal is to deepen or	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalues). Co. will be the tator of the subsective some and proposed new proposed new to the term of the subsective some and proposed new proposed new to the term of the subsective some and proposed new proposed new term of the subsective some and proposed new proposed new term of the subsective some and proposed new	el + 10 ill zon icess). LCM hales c s (5%
SEE ATTACHME 8 Point Plar Drilling Pro BOP Schemati Surface Use Location Pla Location Lay Topographic Well Site Di ABOYE SPACE DESCRIBE	ENTS FOR: ogram ic and Operating at yout Maps "A:, "E lagram proposed Program: If drill or deepen directions	NOV 07 DIVISION OIL GAS & ag Plan B" and "C" proposal is to deepen or ally, give pertinent data	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces & Gas ed oper er Nati	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalues). Co. will be the cator of the substant of	el + 10 ill zor icess). LCM hales conductive ve blowout
SEE ATTACHME 8 Point Plar Drilling Pro BOP Schemati Surface Use Location Pla Location Lay Topographic Well Site Di ABOVE SPACE DESCRIBE OTERNO IS TO AND	ENTS FOR: ogram ic and Operating at yout Maps "A:, "E lagram proposed Program: If drill or deepen directions	NOV 07 DIVISION OIL GAS & ag Plan B" and "C" proposal is to deepen or ally, give pertinent data	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces & Gas ed oper er Nati	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalues). Co. will be the tator of the subsective some and proposed new proposed new to the term of the subsective some and proposed new proposed new to the term of the subsective some and proposed new proposed new term of the subsective some and proposed new proposed new term of the subsective some and proposed new	el + 10 ill zon icess). LCM hales c s (5%
SEE ATTACHME B Point Plan Drilling Pro BOP Schemati Surface Use Location Plan Location Lay Topographic Well Site Di ABOVE SPACE DESCRIBE OVERTER PROGRAM. If proposal is to a Symmetry Program. If any	ENTS FOR: ogram ic and Operating at yout Maps "A:, "E lagram proposed Program: If drill or deepen directions	NOV 07 DIVISION OIL GAS & ag Plan B" and "C" proposal is to deepen or ally, give pertinent data	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces & Gas ed oper er Nati	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalues). Co. will be the cator of the substant of	el + 10 ill zon icess). LCM hales c s (5%
SEE ATTACHME B Point Plan Drilling Pro BOP Schemati Surface Use Location Plan Location Lay Topographic Well Site Di ABOVE SPACE DESCRIBE OVERTER PROGRAM. If proposal is to a Symmetry Program. If any	ENTS FOR: ogram ic and Operatin at yout Maps "A:, "E lagram proposed program: If drill or deepen directions	NOV 07 DIVISION OIL GAS & ag Plan B" and "C" proposal is to deepen or ally, give pertinent data	I 1991 NOF MINING Enron Oil designate well unde	50/50 salt of in Lite to 10 fresh exces & Gas ed oper er Nati	Pozmix + 2% get to 400' above a terest (+10% excmt (11 PPG±) + 10' above oil showater intervalues). Co. will be the cator of the substant of	el + 10 ill zon icess). LCM hales con is (5%

NEW LOCATION FOOTAGES NOTICE:


APPROVED BY _

CONDITIONS OF APPROVAL, IF ANY :

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

T9S, R22E, S.L.B.&M.




ENRON OIL & GAS CO.

Well location, CWU #321-26, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NW CORNER OF SECTION 26, T9S, R22E, S.L.B.&M. TAKEN FROM THE RED WASH SW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4973 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.


REGISTERED LAND SURVEYOR REGISTRATION NO. 5709


Revised 11-4-91 MDA


STATE OF UTAH


UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX 1758 - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 8-1-91
PARTY G.S. R.A. R.E.H.	REFERENCES G.L.O. PLAT
WEATHER HOT	FILE ENRON OIL & GAS CO.









DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE. (Other instructi

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

5. LEASE DESIGNATION AND BERIAL NO. BUREAU OF LAND MANAGEMENT U-0285A 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK NA 16. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL XX PLUG BACK DEEPEN Chapita Wells Unit b. TYPE OF WELL WELL __ BINGLE ZONE MULTIPLE Zone GAS XX 8. FARM OR LEASE NAME OTHER Chapita Wells Unit 2. NAME OF OPERATOR Enron Oil & Gas Company 9. WELL NO. 321-26 3. ADDRESS OF OPERATOR P.O. Box 1815, Vernal, Utah 10. FIELD AND POOL, OR WILDCAT CWU/Wasatch 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NE/NW 1263' FNL & 2318' FWL At proposed prod. zone Sec. 26, T9S, R22E 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST 12. COUNTY OR PARISH : 13. STATE Utah Uintah 14 ½ Miles West of Bonanza, Utah NO. OF ACRES ASSIGNED 15. DISTANCE FROM PROPUSED* LOCATION TO NEAREST 16. NO. OF ACRES IN LEASE TO THIS WELL PROPERTY OR LEASE LINE, FT.
(Also to nearest drig, unit line, if any) 1800± 1263' 18. DISTANCE FROM PROPOSED LOCATIONS 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR. ON THIS LEASE, FT. Approx. 2625' 7300' Rotary 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START* 11/91 Prepared Ground Elev. 5002' PROPOSED CASING AND CEMENTING PROGRAM QUANTITY OF CEMENT SIZE OF HOLE SIZE OF CABING WEIGHT PER FOOT SETTING DEPTH 125 sx Class "G" cmt & 2% 200' 12 1/4" 5/8" 32.3# 7/8" 1/2" 7400' CaCl2 + ¼# sx celloflake 11.6# 50/50 Pozmix + 2% gel + 10% salt to 400' above all zones of interest (+10% excess). Lite cmt (11 PPG \pm) + LCM to 100' above oil shales or fresh water intervals (5% SEE ATTACHMENTS excess). DIVISION OF 8 Point Plan Drilling Progral GAS & MINING BOP Schematic Surface Use and Operating Plan Enron Oil & Gas Co. will be the Location Plat designated operator of the subject Location Layout well under Nation Wide Bond #81307603. Topographic Maps "A:, "B" and "C" Well Site Diagram IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. Admin. Clerk SIGNED (This space for Federal or State office use) PERMIT NO. APPROVAL DATE NOV 1 3 1991 ASSISTANT DISTRICT APPROVED BY MANAGER MINERALS CONDITIONS OF APPROVAL, IF ANY CONDITIONS OF TO OPERATOR'S JULY NEW LOCATION FOOTAGES NOTICE: NOTICE OF APPROVAL

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the inited States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL FOR THE APPLICATION FOR PERMIT TO DRILL

Company/Operator Enron Oil and Gas Company
Well Name & Number CWU 321-26
Lease Number <u>U-0285A</u>
Location NENW Sec. 26 T. 9 S. R. 22 E.
Surface Ownership BLM

NOTIFICATION REQUIREMENTS

Location Construction	-	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion	-	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well.
Casing String and	-	at least twenty-four (24) hours prior to running Cementing casing and cementing all casing strings.
BOP and Related	•	at least twenty-four (24) hours prior to initiating Equipment Tests pressure tests.
First Production	-	within five (5) business days after new well begins Notice or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected</u> to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah Form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at on-site) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc. and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The special drilling requirements in Onshore Order No. 2 regarding air or gas drilling shall be adhered to, if air is used as the principal drilling medium, i.e., if the rig mud pumps are not being utilized while drilling.

Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of the usable water zone, identified at ± 764 feet.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem Tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the Authorized Officer. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized, and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the Authorized Officer.

A cement bond log (CBL) shall be utilized to determine the <u>top</u> of cement (TOC) and bond quality for the production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer (AO).

6. <u>Notifications of Operations</u>

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other

written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162. 7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil and Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the Onshore Oil and Gas Order No. 4 for liquid hydrocarbons and Onshore Oil and Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hour approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka

(801) 781-1190

Petroleum Engineer

Ed Forsman

(801) 789-7077

Petroleum Engineer

BLM FAX Machine:

(801) 789-3634

EPA"S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous:

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids.

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste.

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation, and miscellaneous solids.

B. THIRTEEN POINT SURFACE USE PROGRAM:

1. <u>Methods for Handling Waste Disposal</u>

The reserve pit shall be lined.

Additional Surface Stipulations

A silt catchment dam and basin will not be required.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: ENRON	43-047-32100
WELL NAME: CHAPITA WELLS UNIT 321-26	
Section 26 Township 9S Range	ge 22E County UINTAH
Drilling Contractor COASTAL	
Rig #2	
SPUDDED: Date 11-26-91	
Time3:45 PM	
HowDRY	
Drilling will commence	N. Control of the con
Reported by STEVE-LEON ROSS	
Telephone #	
Date 11-26-91 SIGNED	CAK

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

December 4, 1991

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

> RE: SUNDRY NOTICE - SPUDDING Chapita Wells Unit 321-26 NENW Sec. 26, T9S, R22E S.L.B.&M Uintah County, Utah Lease No. U-0285A

Attn: Ed Forsman

Dear Mr. Forsman:

Attached please find a Sundry Notice on subject well with spudding information.

If your require further information concerning this matter, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

Jay Orr Sr. Pumper

cc: Division of Oil Gas & Mining Big Piney Office Doug Weaver/Toni Miller Suzanne Saldivar - Houston File

/lwSundry

DEC 0 5 1991

DIVISION OF OIL CAS & MININO

FORM 3160-5	UNITED STATES			L .	
(November 1983)		-0100	SUBMIT IN TRIPLICATE	Form approved.	
(Formerly 9-331)	DEPARTMENT THE INTE		(Other instruction of	Budget Bureau No. 1004-0135	
	BUREAU OF LAND MANAGI	EMENT	verse side)	Expires August 31, 1985	
	SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill or to deepes or plug			5. LEASE DESIGNATION AND SI U-0285A	ERIAL NO.
	Use "APPLICATION FOR PERMIT-" for such proposals.)		6. IF INDIAN, ALLOTTEE OR TR NA	IBE NAME
I. OIL	GAS			7. UNIT AGREEMENT NAME	
MEIT	WELL X OTHER			Chapita Wells Unit	
2. NAME OF OPERATOR				8. FARM OR LEASE NAME	
ENRON OIL & G	SAS COMPANY			Chapita Wells Unit	
3. ADDRESS OF OPERATOR	t			9. WELL NO.	
P.O. BOX 1815,	VERNAL, UTAH 84078			321-26	
4. LOCATION OF WELL (Re See also space 17 below.)	port location clearly and in accordance with any State requirements.			10. FIELD AND POOL OR WILDO	CAT
At surface				NBU/Wasatch	
1263' FNL & 2318	S' FWL NE NW			11. SEC., T., R., M., OR BLK, AT SURVEY OR AREA	ND
				Sec. 26, T9S, R22E	
14. PERMIT NO.	15. ELEVATIONS (show whether DF, I	RY, GR, etc.)	· · · · · · · · · · · · · · · · · · ·	12. COUNTY OR PARISH	13. STATE
43-047-32100	5002			Uintah	Utah
16.	Check Appropriate Box to Indicate Natu	are of Notice	, Report, or Other I	Pata	
NOTIC	E OF INTENTION TO:	1		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	v	ATER SHUT-OFF	REPAIRING WELL	
FRACTURE TREAT	MULTIPLE COMPLETE	F	RACTURE TREATMENT	ALTERING CASING	
SHOOT OR ACIDIZE	ABANDON*	s	HOOTING OR ACIDIZING	ABANDONMENT*	
REPAIR WELL	CHANGE PLANS		OTHER)	Spudding	X
(Other)			NOTE: Report results of multiple	completion on Well	<u> </u>

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Enron Oil & Gas Company states the subject well was spudded 11/28/91.

12 1/4" hole was drilled to 220'. 9 5/8" casing was set at 231' and cemented with 125 sx Class "G" cement.

Oral notice was called to Ed Forsman of BLM and Carol Kubly of UOGCC 11/28/91.

DEC 0 5 1991

Completion of Recompletion Report and Log form.)

DIVISION OF OIL GAS & MIMING

18. I herby certify that the foregoing is true and correct			
SIGNED Luck & Wall	TITLE Sr. Admin. Clerk	DATE	12/3/91
(This space for Federal or Staje office use)			
APPROVED BY	TITLE	DATE	

CONDITIONS OF APPROVAL, IF ANY:

OPERATOR ACCT. NO. NO401 OPERATOR ENRON OIL & GAS COMPANY ATE OF UTAH ISION OF OIL. GAS AND MINING P.O. Box 1815 ADDRESS TITY ACTION FORM - FORM 6 Vernal, Utah 84078 **SPUD** EFFECTIVE WELL LOCATION WELL NAME API NUMBER DATE CURRENT NEW COUNTY DATE HOITS SC TP RG QQ ENTITY NO. ENTITY NO. CODE 11/28/91 11/28/91 9S 22E Uintah Chapita Wells Unit 321-26 NENW 26 В 04905 43-047-32100 Entity added 2-18-92. LL 1 COMMENTS: LL 2 COMMENTS: LL 3 COMMENTS: OMMENTS: LL 5 COMMENTS: CTION CODES (See instructions on back of form) A - Establish new entity for new well (single well only) Signature B - Add new well to existing entity (group or unit well) FEB 1 3 1992 C - Re-assign well from one existing entity to another existing entity 2/12/92 Sr. Admin.

DIVISION OF

OIL GAS & MINING

Title

Phone No. (801) 789-0790

3/89)

D - Re-assign well from one existing entity to a new entity

OTE: Use COMMENT section to explain why each Action Code was selected.

E - Other (explain in comments section)

ENRON

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

March 25, 1992

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078 PIECINIO

MAR 2 7 1992

DIVISION OF OIL GAS & MINING

RE: CHAPITA WELLS UNIT 321-26 Sec. 26, T9S, R22E Uintah County, Utah Lease No. U-0285-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached a Sundry Notice requesting a variance to the drilling regulations concerning the blooie line length on the subject location.

If you have any questions or need additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

cc: Division of Oil Gas & Mining
Big Piney Office
Doug Weaver/Toni Miller
Suzanne Saldivar - Houston
Diane Cross - Houston
File

/lwSundry

(November 1983) (Formerif 9-331)							
(Former) 9-331;		UNITED STATES		SUBMIT IN TRIPLICATE	* Form a	pproved.	
		TMENT 😈 THE INT		(Other instruction on	Budge	Burasu No. 1004-0135	
1 1 The second second	BUREA	U OF LAND MANAC	GEMENT	verse side)	Expire	August 31, 1985	
		OTICES AND REPORTS orm for proposals to drill or to deepen or pl				ase designation and $1285-A$	RIAL NO
	Usc *APPLIC	TATION FOR PERMIT-" for such proposa	ds.)		6. IF I	NDIAN, ALLOTTEE OR TR	BE NAME
1. OIL	GAS				7 L'N	T AGREEMENT NAME	
WELL	well X	OTHER			1	APITA WELLS U	NJT
2. NAME OF OPERATOR					8. FAI	IM OR LEASE NAME	
ENRON OIL & G		<u>Y</u>				PITA WELLS U	NIT
3. ADDRESS OF OPERATOR					9. WE		
P.O. BOX 1815,			_		321-		
 LOCATION OF WELL (Re See also space 17 below.) 	port location clearly and	in accordance with any State requirements.*	•		10. FI	ELD AND POOL OR WILDO	ΛT
At surface					CW	U/ WASA TCH	
1263' FNL & 2318	B' FWL NE/N	W			11. SE	C., T., R., M., OR BLK. AN	D
					i	RVEY OR AREA	
						. 26, T9S, R22E	
14. PERMIT NO.		15. ELEVATIONS (show whether DI	F, RY, GR, etc.)		12. CC	UNTY OR PARISH	13. STATE
43-047-32100		5002'				UINTAH	UTAH
16.	Check Appr	opriate Box to Indicate Na	ature of Not	ice, Report, or Other	Data		
NOTIC	E OF INTENTION TO:	_			SUBSE	QUENT REPORT OF:	
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF		REPAIRING WELL	
FRACTURE TREAT	<u> </u>	MULTIPLE COMPLETE	<u> </u>	FRACTURE TREATMENT		ALTERING CASING	
SHOOT OR ACIDIZE	<u> </u>	ABANDON*		SHOOTING OR ACIDIZING		ABANDONMENT*	-
REPAIR WELL (Other) Variance I	For Blooie Line	CHANGE PLANS	X	(OTHER)		. W D	
(Other) Variance 1	of blook like			(NOTE: Report results of multiple Completion of Recompletion Repo			
proposed work. If well is a nent to this work.)* Enron recto be not pumps ar	directionally drilled, give quests a varian less than 100' re not in use.	ATIONS (Clearly state all pertinent details, subsurface locations and measured and true ce to the existing rules and from the borehole during a	e vertical depths for	all markers and zones perti- s requiring the blooie	line		
rate of 15 ranging f	5–20 GPM unti from 1300' to 2	drilled with air mist, inject I reaching the first water p 500' in this area. The we onps at rates of 150 to 250	producing in Il will then	terval, typically at dep	pths		

18. I herby certify that the foregoing is true and correct
SIGNED Walk TITLE Sr. Admin. Clerk DATE 03/25/92
(This space for Federal or State office use)

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ENRON

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

March 25, 1992



MAR 2 7 1992

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078 DIVISION OF OIL GAS & MINING

RE: CHAPITA WELLS UNIT 321-26 Sec. 26, T9S, R22E Uintah County, Utah Lease No. U-0285-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached a Sundry Notice of a BOPE specification change for the subject well.

If you have any questions or need additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

cc: Division of Oil Gas & Mining
Big Piney Office
Doug Weaver/Toni Miller
Suzanne Saldivar - Houston
Diane Cross - Houston
File

/lwSundry

November 1983	UNITED STATES	SUBMIT IN TRIPLICAT	E* Form approved	
errice's 9-3311	DEPARTMENT OF THE IN		ev- Budget Bureau No. 1004-0135	
	BUREAU OF LAND MANA	GEMENT WORKE MIGHE	9706 August 31, 1985	
	SUNDRY NOTICES AND REPORT	TS ON WELLS	5. LEASE DESIGNATION AND SERIAL	NO.
	(Do not use this form for proposals to drill or to deopen of		U-0285-A	
	Use "APPLICATION FOR PERMIT-" for such proper	omls,)	6. IF INDIAN, ALLOTTEL OR TRIBE N	AMi
O!!				
OII	GAS WELL X OTHER		7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT	-
	WELL X OTHER		CHAPITA WELLS UNIT	
NAME OF OPERATOR			8. FARM OR LEASE NAME.	
ENRON OIL & C			CHAPITA WELLS UNIT	•
ADDRESS OF OPERATOR			9. WELL NO.	
P.O. BOX 1815,	VERNAL, UTAH 84078		321-26	
	sport location clearly and in accordance with any State requirement	s.*	10. FIELD AND POOL OR WILDCAT	
See also space 17 below.)			CWILDVACATOU	
At surface 262' ENI P. 221	8' FWL NE/NW		CWU/WASATCH	
203 FNL & 2316	FWL NE/NW		11. SEC., T., R., M., OR BLK, AND SURVEY OR AREA	
			SEC. 26, T9S, R22E	
PERMIT NO.	15. ELEVATIONS (show whether	DF, RY, GR, etc.)		STATE
3-047-32100	5002	•	1	TAH
				IAn
•	Check Appropriate Box to Indicate 1	Nature of Notice, Report, or Other	Data	
NOTIC	E OF INTENTION TO:		SUBSEQUENT REPORT OF:	
ST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL	
ACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING	
1001 OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*	\neg
PAIR WELL	CHANGE PLANS	(OTHER)		
ther) REVISE I	BOP SPECS	X (NOTE: Report results of multip	ble completion on Well	
		Completion of Recompletion Re	port and Log form.)	
anticipat	vell from a 3000 psi system to a 2000 ps ed subsurface pressure as specified in the e maximum anticipated surface pressure	he 8 Point Plan of the		
be subjec	eted would be: 3400 psi - (7300' X .22	? psi/ft) = 1794 psi.		
			neemme	
			The second second	
			A STATE OF THE STA	- A - 3
			MAR 2 7 1992	
	er en		MAR 2 / 1012	
	그 그 기가 가장 하는 것이 가장하는 것이다.		DIVISION OF	
		92 Lins	OIL GAS & MINING	
	/	-3 por pathon	OIL ONG R BOLLING	w)
	مناهجيني المنافق المناف	_ /		
	A Comment of the Comm			
I herby certify that the fore	going is true and correct			
IGNED	· la de la lace	TITLE Sr. Admin. Clerk	DATE 03	3/25/92
us space for Federal or State	office use)	Di / Januar Civir	U.	72 102
PPROVED BY		TITLE	DATE	
· · · · · · · · · · · · · · · · · · ·		111 1010		

*See Instructions on Reverse Side

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL, IF ANY:

ENRONOil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

March 30, 1992

Mr. Ed Forsman Bureau Of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

RE: CHAPITA WELLS UNIT 321-26

LEASE: U 0285A

NENW, SEC. 26, T9S, R22E

UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice requesting a variance to onsite brine storage on the subject location.

If you require additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

C.C. Parsons
District Manager

kc

cc: Utah Board of Oil, Gas and Mining

D. Weaver T. Miller Vernal Office File

APR 0 2 1992

 FORM 3160-5

UNITED STATES

(December 1989)	<u>-</u>	AT OF THE INTERIOR	Budget Bureau No. 1004-0133
	BUREAU OF	LAND MANAGEMENT	Expires September 30, 1990
			5. Lease Designation and Serial No.
	SUNDRY NOTICE	E AND REPORTS ON WELLS	U 0285 A
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.			6. If Indian, Allottee or Tribe Name
		MIT" for such proposals	
		T IN TRIPLICATE	7. If Unit or C.A., Agreement Designation
1. Type of Well			
Oil	Gas		CHAPITA WELLS UNIT
Well	X Well	Other	8. Well Name and No.
2. Name of Operator			CHAPITA WELLS UNIT 321-26
	L & GAS COMPANY	_	
3. Address and Telepl	hone No.		9. API Well No.
P.O. BOX 2:	50, BIG PINEY, WY 8	83113 (307) 276-3331	43-047-32100
	Footage, Sec., T., R., M., or		10. Field and Pool or Exploratory Area
`	_		CHAPITA WELLS/WASATCH
1263' FNL - 2	2318' FWL (NE/NW)		11. County or Parrish, State
SECTION 26, T	19 S, R22E		
			UINTAH, UTAH
		ATE NATURE OF NOTICE, REPORT, OR OTHER	DATA
TYPE OF SUBMIS	SION	TYPE OF ACTION	
W NOTTOE OF	· varensare	ABANDONMENT	CHANGE OF PLANS
X NOTICE OF	INTENT	RECOMPLETION	NEW CONSTRUCTION
CHRECHE	AFT DEDODE	PLUGGING BACK	NON-ROUTINE FRACTURING
SUBSEQUE	NT REPORT	CASING REPAIR	WATER SHUT-OFF
ETNIAK ADA	NICONALDIT NOTICE	ALTERING CASING	CONVERSION TO INJECTION
FINAL ABA	NDONMENT NOTICE	X OTHER VARIANCE TO ONSITE	
		, -	multiple completion on Well Completions Report and Log Porm.)
13. Describe Proposed or C	Completed Operations (Clearly st	tate all pertinent details and give pertinent dates, including estin	nated date of starting any proposed work if well
is directionally drilled g	give subsurface locations and mea	asured and true vertical depths for all markers and zones pertine	ent to this work).
		ar ADD 6 and a blood on the Control of the	10
		the APD for the subject well indicated that	
		purposes. Enron Oil & Gas Company requ	
stipulation. Bas	sed on drilling experier	nce in the Chapita Wells and Natural Buttes	Units, Enron leels that brine
storage is unnec	essary for well control	purposes and adds unnecessary environmen	ntal risks and expense. In
		proposes to utilize sacked potassium chlori	ide and/or gel/polyacrylamide
polymer stored	on location for our wel	ll control system.	Wan
	ACCE	EPTED BY THE STATE	
	Assal Sec.	ADD O O	

APR 0 2 1992 OF UTAH DIVISION OF OIL, GAS, AND MINING DIVISION CF OH GAS & MELANING

14. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Regulatory Analyst DATE 3-30-92

FORM APPROVED

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ENRON Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

March 31, 1992

Mr. Ed Forsman Bureau Of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

> CHAPITA WELLS UNIT 321-26 RE:

> > LEASE: U 0285A

NENW, SEC. 26, T9S, R22E

UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice of a change in the casing program for the subject well.

If you require additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

C.C. Parsons

District Manager

kc

Utah Board of Oil, Gas and Mining cc:

D. Weaver T. Miller

Vernal Office

File

APR 0 2 1992

DIVISION OF OIL GAS & MINING FORM 3160-5

UNITED STATES

	OF THE INTERIOR ND MANAGEMENT	Budget Bureau No. 1004-0135 Expires September 30, 1990
		5. Lease Designation and Serial No.
	ID REPORTS ON WELLS	U 0285 A
	to deepen or reentry to a different reservoir.	6. If Indian, Allottee or Tribe Name
Use "APPLICATION FOR PERMIT		7. If Unit or C.A., Agreement Designation
	TRIPLICATE	/. If Omt of C.A., Agreement Designation
Type of Well Oil Gas		CHAPITA WELLS UNIT
Oil Gas Well X Well	Other	8. Well Name and No.
		CHAPITA WELLS UNIT 321–26
2. Name of Operator		CHAPITA WELLS UNIT 321-20
ENRON OIL & GAS COMPANY		9. API Well No.
3. Address and Telephone No. P.O. BOX 250, BIG PINEY, WY 831.	13 (307) 276–3331	43-047-32100
4. Location of Well (Footage, Sec., T., R., M., or Sur		10. Field and Pool or Exploratory Area
4. Location of Well (Poolage, Sec., 1., K., W., of Sur	vey izesemption)	CHAPITA WELLS/WASATCH
1263' FNL - 2318' FWL (NE/NW)		11. County or Parrish, State
SECTION 26, T9S, R22E		
		UINTAH, UTAH
12. CHECK APPROPRIATE BOX(8) TO INDICATE		R DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
WORKER OF INVENIE	ABANDONMENT	CHANGE OF PLANS
X NOTICE OF INTENT	RECOMPLETION	NEW CONSTRUCTION
SUBSEQUENT REPORT	PLUGGING BACK	NON-ROUTINE FRACTURING
SOBSEQUENT REPORT	CASING REPAIR	WATER SHUT-OFF
FINAL ABANDONMENT NOTICE	X ALTERING CASING	CONVERSION TO INJECTION
	OTHER	
	(Note: Report results	of multiple completion on Well Completions
13. Describe Proposed or Completed Operations (Clearly state a		n Report and Log Form.)
is directionally drilled give subsurface locations and measure Enron Oil & Gas Company requests auth The production casing specified in the Al	d and true vertical depths for all markers and zones perti orization to revise the casing program 1	for the subject well.
4-1/2", 10.5#, K-55 ST&C.	, b was do successive , ,	,
7 1/2 , 10.5 " , 1c 35 5 1 c 5.	_	with the second
	ACCEPTED BY THE STATE OF UTAH DIVISION OF OF UTAH DIVISION OF	
	4-3-92	AFR 0 2 1992
	100 out house	DIVISION OF
year to	IM puri	
(D)	A September 1998 by the second	CIL GAS & MIMING
14. I hereby certify that the foregoing is true and correct		
signed taty Carlso	TITLE Regulatory Analyst	DATE 3-31-92
(This space for Federal or State office use)		
A DDD OVED BY	TITLE	DATE
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	11100	
CONDITIONS OF AFFROYAL, IF AN I.		

ORM APPROVED

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

April 1, 1992

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

> RE: CHAPITA WELLS UNIT 321-26 Sec. 21, T9S, R22E Uintah County, Utah Lease No. U-0285-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached a Sundry Notice of water encountered while drilling for the subject well.

If you have any questions or need additional information, please contact this office.

> Very/truly yours, ENRON OIL & GAS COMPA

George R. McBride

Sr. Production Foreman

cc: Division of Oil Gas & Mining Big Piney Office Doug Weaver/Toni Miller Suzanne Saldivar - Houston Diane Cross - Houston File

/1wSundry

APR 0 3 1992

DIVISION OF OIL GAS & LEGILLING

**	- ·		
FORM 3160-5	HAUTED ATTAC		1
(November 1983)	UNITED ATES ,	SUBMIT IN TRIPLICATES	rm approved.
(Formerly 9-331)	DEPARTMENT OF THE INTERIOR	(Other instruction on rev	Judget Bureau No. 1004-0135
	BUREAU OF LAND MANAGEMENT	verse side)	Expires August 31, 1985
	SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NO.
	(Do not use this form for proposals to drill or to deepen or plug back to a different re	secryoir.	U-0285-A
	Use "APPLICATION FOR PERMIT-" for such proposals.)		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
I. OIL	GAS		7. UNIT AGREEMENT NAME
WELL	well X other		CHAPITA WELLS UNIT
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
	GAS COMPANY		CHAPITA WELLS UNIT
3. ADDRESS OF OPERA	TOR		9. WELL NO.
P.O. BOX 181.	5, VERNAL, UTAH 84078		321-26
4. LOCATION OF WELL See also space 17 below.	(Report location clearly and in accordance with any State requirements.*		10. FIELD AND POOL OR WILDCAT
At surface			CWU/WASATCH
1263' FNL & 23	318' FWL NE/NW		11. SEC., T., R., M., OR BLK, AND SURVEY OR AREA
			SEC. 26, T9S, R22E

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

WATER SHUT-OFF

(OTHER)

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(NOTE: Report results of multiple completion on Well

Completion of Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

PULL OR ALTER CASING

MULTIPLE COMPLETE

15. ELEVATIONS (show whether DF, RY, GR, etc.)

5002

ABANDON*

CHANGE PLANS

NOTICE OF INTENTION TO:

Water was encountered while air/mist drilling at a depth of 3384' KB on the subject well. Please find attached a copy of the Report of Water Encountered During Drilling (Form 7).

PR 0 3 1992

12. COUNTY OR PARISH

UINTAH

SUBSEQUENT REPORT OF:

Water Encounter

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

13. STATE

UTAH

DIVISION OF OIL GAS & MIMIMO

18. I herby certify that the foregoing is true and correct			
SIGNED Leiner V. Wass	TITLE Sr. Admin. Clerk	DATE	04/01/92
(This space for Federal or State office use)			
APPROVED BÝ	TITLE	DATE	
CONDITIONS OF ADDDOVAL IF ANY		·	···

CONDITIONS OF APPROVAL, IF ANY:

14. PERMIT NO.

16.

43-047-32100

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

*See Instructions on Reverse Side

ENRON DAG CO.

VEKNAL UTAHIH 2

REPORT OF WATER ENCOUNTERED DURING DRILLING - FORM 7 (1/89)

. Nell opera	tor: Z	ENW section 24 township S MON WILL GAS CON BOX 256 BIG Pinny Wyomine 8311	upayy	02.276-333/
Drilling of Address:		LIECA DRILLING INC PO. BOX 1705 GRAND JUNICHOU, COLORA	h li ban a a	05-142-69/2
. Water enco	ount ered (continue on reverse side if necess	ary)	
from	to to	(flow rate or head)	Quality (fresh or sa	ity)
		Tit foot delling. USANTOWN INTERNAL OF POWER TOWN SHOW.	, , , , , , , , , , , , , , , , , , , ,	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1) HE ST			
200 (10) 1 (10)	THE STATE OF THE STATE OF	The second secon		
. Formation	tops: 6	EUN LIVE 3047	10-marks (10-marks)	AFR 0
	. Small	Million and the state of the st	Market in the control of the second s	DIVIS OIL GAS
. stone oppose		عبدين وببرنسيسانان ففاقه ومهويهم ويواعده اسمالا الكوالا التوايات		

ENRONOil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

June 9, 1992

Mr. Ed Forsman Bureau Of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

RE: CHAPITA WELLS UNIT 321-26

LEASE: U-0285-A

NENW, SEC. 21, T9S, R22E

UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice describing the First Sales from the subject well.

If further information is required, please contact this office.

Sincerely

C.C. Parsons

District Manager

kc

cc: UOGCC

D. Weaver T. Miller

Vernal Office

File

DEGETTY/EU)
JUN 1 1 1992

DIVISION OF OIL GAS & MINING (De

UNITED STATES

MENT OF THE INTERIOR Budget Bureau No. 1004-0135						
AND MANAGEMENT	Expires September 30, 1990					
AND REPORTS ON WELLS	 Lease Designation and Serial No. U 0285 A 					
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.						
-	6. If Indian, Allottee or Tribe Name					
IN TRIPLICATE	7. If Unit or C.A., Agreement Designation					
	CITA DENA WICH I G HAVE					
<u></u>	CHAPITA WELLS UNIT					
Other	8. Well Name and No.					
	CHAPITA WELLS UNIT 321-26					
	9. API Well No.					
P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331						
Survey Description)	10. Field and Pool or Exploratory Area					
	CHAPITA WELLS/WASATCH					
	11. County or Parrish, State					
	UINTAH, UTAH					
TE NATURE OF NOTICE, REPORT, OR OTHER						
TYPE OF ACTION						
_						
ABANDONMENT	CHANGE OF PLANS					
RECOMPLETION	NEW CONSTRUCTION					
PLUGGING BACK	NON-ROUTINE FRACTURING					
CASING REPAIR	WATER SHUT-OFF					
ALTERING CASING	CONVERSION TO INJECTION					
X OTHER FIRST SA	ALES					
(Note: Report results o	f multiple completion on Well Completions					
or Recognition	Report and Log Form.)					
	AND MANAGEMENT AND REPORTS ON WELLS or to deepen or reentry to a different reservoir. IT ——" for such proposals IN TRIPLICATE Other Other Te nature of notice, report, or other Type of action ABANDONMENT RECOMPLETION PLUGGING BACK CASING REPAIR ALTERING CASING X OTHER FIRST SA (Note: Report results of					

13.

FIRST SALES: 6/1/92, 1045 MCFD rate on a 10/64th choke, TP 2100 psig, CP 2140 psig.

JUN 1 1 1992

FORM APPROVED

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct				
SIGNED taly Carlson	TITLE	Regulatory Analyst	DATE 6/8/92	
(This space for Federal or State office use)				
APPROVED BY	TITLE		DATE	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ENRON Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

June 16, 1992

Mr. Ed Forsman Bureau of Land Management 170 South 500 East Vernal, Utah 84078

RE: COMPLETION REPORT

CHAPITA WELLS UNIT 321-26

LEASE: U-0285-A

NE/NW, SEC. 26, T9S, R22E UINTAH COUNTY, WYOMING

Dear Mr. Forsman:

Please find attached the Well Completion Report describing the completion of the subject well.

If further information is required regarding this matter, please contact this office.

Sincerely

C.C. Parsons

District Manager

kc

cc: UOGC

D. Weaver

A.C. Morris

J. Tigner - 2043

D. Cross - 2370

T. Miller

Vernal Office

File

BECEIVED

JUN 2 1 1992

DIVISION OF OIL GAS & MINING 1a. TYPE OF WELL:

NEW X 2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

At surface

At total depth

b. TYPE OF COMPLETION:

ENRON OIL & GAS COMPANY

At top prod. interval reported below

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

DRY

DIFF.

FWL (NE/NW) SAME

SAME

14. PERMIT NO.

43-047-32100

Other

GAS WELL X

PLUG BACK

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirement)

WELL

DEEP-En

P.O. BOX 250, BIG PINEY, WYOMING 83113

1263' FNL - 2318'

SUBM	IT IN	DUPLIC	AT	1	;	Form Budge	appro	ved.	. 42–R355.	r.
RIOF	⊋		other in tions on	1						
1101	`	rever	se side)) 5. L	-		TION.	AND	SERIAL N	0.
					·0285-					
ORT	AN	D LO	G *	6. 11	FINDIAN	, ALL	OTTEE	OR T	RIBE NAM	(E
				-			·	•	. **	_
				1	NIT AGE				_: ~	
MIE		TATE!			IAPITA				LT-	_
	L C	BILL	451	1 1	ARM OR					
La Land	,		4	18	APIT	A" WE	ELLS	. UN.		_
	la te i	9 4 40	•	4	ELL NO.	-		===	£ ± '}	
U	UIT	2 1 19	92		1-26	-	. :	. =	3 g 🖁	_
				1	FIELD AL					
e reg	MIS	NON OF		CH	APITA	A JWE	LLLS	/WAS	HOTEA	
OIL (GAS	& MINI	NO	11.	SEC., T., OR AREA	R., M.,	OR BI	LOCK A	ND SURVE	Ŧ
		er iatităi	IVG	1	~	~		1		
**		•		SE	CTION	V: 26), E	9 \$,	R22E	
			_	_			*	Ŧ.	<u> </u>	_
		ISSUED			COUNTY PARISH	OR		13. ST	ATE	
<u> </u>	9-	16-91		UI	NTAH		_ 3	Ψ^{T}	*	_
) 18.	. ELE	VATIONS (D	F, RKB,			i	. :		NGHEAD	
		6' KB		:					ap∄ ‡GL	-
COMPL.,	,	23. INTI	ervals Led by	ROT.	ARY TOO	LS		Ğ ybre	TOOLS	
	··			RO	TARY	<u> </u>	<u> </u>		·-·	_
TVD)*					3 ; N €	2		as dir Zvet	ectional Made	
		:					-,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_ :	
				-		-		NO :	<u> 229</u>	-
	<u>;</u>	;				27. v		VELL.	CORED	, -
						-		NO	<u>: 4 ; </u>	
strings	set i				: 7.	ــــــــــــــــــــــــــــــــــــــ		4 3	<u> 737</u>	
I			ENTING			<u></u>	- A-		PULLED	- <u>()</u>
	12.	5sx Cla	iss "	G" C	EMEN1	<u> </u>	.t		HONE	
"	471)sx Lii	te.&	960s	x	<u> </u>	ł		NÓÑE.	-
	50	/50 Poz	mix.		<u> </u>	<u> </u>			<u>ਤੋਂ ਤੋਂ ਤੋਂ</u>	_
		<u> </u>			- 13.5				g ii t	- PAL
:		30.		TUBIN	G RECO	ORD	;			-
EN (MI	<u>) </u>	SIZE	_		SET (M	D)	.!		ET (MD)	_
		2-3/8	<u> </u>	116.	49 K	B :	RB		<u>5517'</u>	_KB
					-, -	-	Ť -	, <u></u>		_
		ID, SHOT,								_
TH INT					AND KIN					_
11-7370 42,756 gals Borate X=							_			
2% KC1 water, 132,090 20/40 san							_			
									<u>LC re</u>	
^**			coat	ed s	and.					(OVER)
ON	and to	ype of pum	<u></u>)	-	WELL		Ξ 10 (Pe		5 5 2 80 00	-
		epo oj pum	· ¥)		shu	t-in)	٠,			
					PRO	DUC	ING:	017 94		-

15. DATE SPUDDED	16. DATE	T.D. REAC	HED 17. DAT	E COMPL. (Ready t	o prod.)	18. 1	CLEVATIONS	(DF, RE	B, RT, GR,	ETC.)*	19.	ELEV. CA	SING
3-29-92	4-9	9-92		6-1-92			50	016' КВ		.1.	-	- - -50	D2 🛂 🛭	rep
20. TOTAL DEPTH, MD	♠ TVD	21. PLUG, E	SACK T.D., MD &		IF MUI	LTIPLE COL	MPL.,		NTERVAL RILLED		ARY TO	OL8	ÇAB	LE TO
7470 '		74	±00 '		HUW K						TARY		=	
24. PRODUCING INTE	RVAL(S), O	F THIS CO	MPLETION—TOP	P, BOTTOM, 1	NAME (MD AND T	VD)*			<u> </u>	3 ; N	. 2	5. WAS 1	DIRECT
5257-5469	WASATO	сн (сна	PITA WEL	LS)				1				; ; ; ;		3 =
								4.		-			NO	-
DSN-DLL-GR							:	4 1 1				27. v		C. COB
D9M-DTT-GK	-carrpe	er a gu	-CCL-CDL	5-1-9	12		د	· :.			•		NO	
28.				ING RECOR			rings s			·	: 7	T	C ≠ 2	<u> 37.</u>
CASING SIZE		IT, LB./FT.	DEPTH SI			LE SIZE	<u>-</u>			NG RECOR		<u>.: </u>	MOT	
9-5/8"	32.3	3# H−40	231.	30' KB	12	-1/4"		L25sx C	lass	''G'' -C	EMEN	T	<u> </u>	31
4-1/2"	10.5	5 <u>#</u> J−55	7450.	07' KB	7	-7/8"		70sx L	ite	& 960s	<u> </u>	<u> </u>	ļ	· N
	_							50/50 P	ozmi	x	· • •	<u>. :</u>	I	ni 🍜
								• •			1.3.	. .		: ₹
29.		LII	NER RECORD)			-	30.		TUBIN	GREC	ORD	; <u>, .</u>	=
SIZE	TOP (MI	D) BC	TTOM (MD)	SACKS CEN	MENT*	SCREEN	(MD)	SIZ	E	DEPTH	SET (MD)	PACEBI	r:Set
								2-3/	8"	5116.	49	KB:	RBP	<u> 9</u> 5
											-, <u>-</u>	· _ ·	1 2 2	इ.५
31. PERFORATION RED PERFS	CORD (Inte	rvai, size (and number)	w/2	SPF	82.		ACID, SHO	T, FRA	CTURE,	CEMEN	T SQU	EEZE, P	TC.
15', 7222-24	41. 722	6-361.	7280-82		011	DEPTH	INTE	WAL (MD)	_	AMOUNT	AND KI	ND OF	MATERIA	L-USE
7302',7364-6	50' . 71	17-23	. 7107-1	ı i .		7211	<u>-737</u>	'0 ^t	42	,756 g	als	Bora	te X-	Finl
50', 7031-3	3', 701	8-26'	& 7003-08	= 8 ¹					2%	KC1 w	<u>ater</u>	<u>, 13</u>	2,000	# 21
2)	,								20	.000#	16/3	0 Sai	ndtro	1 L
									<u> coa</u>	ated s	and.	- МЪ	3125	DS:
33.*						DUCTION		;					*	अक
DATE FIRST PRODUCT	CION	PRODUCT	ION METHOD (riowing, gai	i iijt, p	umping	size an	d type of p	ump)			. STATU kt-in)	B (Prod	toing
6-1-92	1	FLOW											ING:	
DATE OF TEST	HOURS T	ESTED	CHOKE SIZE	PROD'N.		OIL—BE	BL.	GAS		1	ER—BB	L.	GAS-OIL	RATIO
6-15-92	1 24		19/64th		_	0 B		970			Bij	- :	<u> \$ } </u>	÷Ę
FLOW. TUBING PRESS.	l	PRESSURE	CALCULATED 24-HOUR BAT	OIL—BE	BL.	1				ER—BBL.		OIL G	RAVITY-A	PI (C
1710 psig		psig		1 0	BO	9	70 7	ICFD	2	BM	<u> </u>		<u> </u>	
34. DISPOSITION OF	, ,	• •	u, ventea, etc.)	1						i	WITNE			
SOLD - GRAN		EY								TOM	HUF	FORD	<u> </u>	
35. LIST OF ATTACH	MENTS							-					-	
														1:
36. I hereby certify	that the i	coregoing a	ing attached in	nrormation :	is comp	ete and o	correct	as determ	ined fro	m all av	ilable			-
SIGNED	Dales	(Arl)	lon	יתיי	r.ne	REGIIT.A'	TORY	ANALYS	ST.		20 A 47°	-	5-16-9	2د

INSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulation, the port and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State lastructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and orecanalysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State layes and regulations. All attachments should be listed on this form, see item 35. Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State tor Federal office for specific instructions.

It is not seed to specific instructions and instruction from more than one interval to make the separate report (page) on this form, adequately identified, for each additional interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to see the separately produced, showing the additional data pertinent to such interval.

It is not seed to seed the separately produced to be separately produced. (See instruction for items 22 and 24 above.) should be listed on this form, see item 35.

SUMARKY OF POROUS ZONES OF STATE OF STA
ZONES: ZONES OF CONTRACT ZONES OF CONTRACT TOP TOP TOP TOP TOP TOP TOP T
70 2 2 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

t-e 1253 Y

Cuu	321-26	Sec. 26 7950 R33E	Kubly -	12392
i e	e de la companya de La companya de la co			
		bermaal Correlensade Hink		
	well head.	O production unif		
		dehydrator wj miter		
			; ;	



P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

September 9, 1992

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

> RE: Chapita Wells Unit 321-26 Sec. 26, T9S, R22E Uintah County, Utah

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours, ENROW OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

cc: Division of Oil Gas & Mining Big Piney Office Doug Weaver/Toni Miller Suzanne Saldivar - Houston Diane Cross - Houston File

SEP 1 1 1992

DIVISIONOF OIL GAS & MINING

/lwSundry

FORM 3160-5 (November 1983) (Formerly 9-331)	UNITE STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	SUBMIT IN TRIPLICA (Other inseruction on ret	Form approved. Budget Bureau No. 1004-0135 Expires Augus 51, 1985	
	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different r Use "APPLICATION FOR PERMIT-" for such proposals.)		5. LEASE DESIGNATION AND S U-0285-A 6. IF INDIAN, ALLOTTEE OR TO	
WELL	GAS WELL X OTHER		7. UNIT AGREEMENT NAME CHAPITA WELLS U	INIT
ENRON OIL & C. ADDRESS OF OPERATOR	GAS COMPANY		8. FARM OF LEASE NAME CHAPITA WELLS U 9. WELL NO.	INIT
P.O. BOX 1815,	VERNAL, UTAH 84078 teport location clearly and in accordance with any State requirements.*		321-26 IC. FIELD AND POOL OR WILD	CAT
See also space 17 below.) At surface	8' FWL NE/NW		NBU/WASATCH 11. SEC., T., R., M., OR BLK, A SURVEY OR AREA SEC. 26, T9S, R22E	ND
14. PERMIT NO. 43-047-32100	15. ELEVATIONS (show whether DF, RY, GR, etc.) 5002'		12. COUNTY OR PARISH UINTAH	13. STATE
	MULTIPLE COMPLETE ABANDON* CHANGE PLANS DISPOSAL METHOD X	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING OTHER) NOTE: Report results of multiple Completion of Recompletion Rep	ort and Log form.)	
proposed work. If well in nent to this work.)* Enron County subject to 1. S.	OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates a directionally drilled, give subsurface locations and measured and true vertical depths for all or	markers and zones perti-		
	Accepted by dispositions are also be a contracted by the contraction of Utah Division by the Utah Division by the Utah Division by the Utah Division by the Utah Division by t	୍ତ State ୩ ୦ f		

DIVISION OF OIL GAS & MINING

18. I herby certify that the foregoing is true and correct	7			
SIGNED Lynda	Wall	TITLE Sr. Admin. Clerk	DATE	9/9/92
(This space for Federal or State office use)	Federal Approval of this			
APPROVED BY	Action is Necessary	TITLE	DATE	
CONDITIONS OF APPROVAL	IE ANY.			



Exploration & Production

North America

Coaoco Inc. 800 Werner Court Casper, Wyoming 82601 (307) 261-7920 (307) 261-7917 FAX

Division of State Lands & Forestry 3 Triad Center #400

Salt Lake City, UT 84180-1204

January 8, 1993

Atten: Claudia Silverhuff

RE:

Request for PIN Numbers

Chapita Wells Unit Area

Post-It' brand fax transmittal	memo 7671 # of pages ▶
Claudic Silver WITH	Billion Anderson
Co. Litah State	Conoco
Dept.	Phone # 24-7920
Fax (801) 355-092	F=x 307-261-7917

Dear Ms. Silverhuff:

Per your request, I have listed below the wells and corresponding API numbers. Please assign PIN numbers and call me or fax them to be as soon as they have been assigned. Cathy Mora in our Ponca City office will re-send the check the State of Utah returned to Conoco.

Please contact me if you have any questions, and thank you for your help in this matter.

Sincerely,

Delenn Underson DeAnn Anderson

Analyst - Land & Joint Interest


cc:

Central File, Blue File

dja:\010893b.wp

UTAH DIVISION OF OIL, GAS AND MINING EQUIPMENT INVENTORY

Operator: ENRON OIL & GAS CO	MPANY	Lease: State	e: Federal: <u>Y</u>
Indian: Fee:			
Well Name: CWU 321-26		API Number:_4	43-047-32100
Section: 26 Township: 9S NATURAL BUTTES	Range: 22E	County: UINTAH	Field:
Well Status: PGW	Well Type:	Oil: Gas:_\	<u>(ES</u>
PRODUCTION LEASE EQUIPMENT: YE	S CENTR	RAL BATTERY:	
YES Well head Boile	r(s)	Compressor	Separator(s)
YES Dehydrator(s) (2) Sh	red(s)	Line Heater(s)	<u>YES</u> Heated
Separator VRU Heate	r Treater(s	3)	
PUMPS:			_
Triplex	Chemical	Centri:	tugal
LIFT METHOD:			
Pumpjack Hydrau	ilic	Submersible	Flowing
GAS EQUIPMENT:			
YES Gas Meters Purch	ase Meter	YES Sales Meter	
TANKS: NUMBER		SIZE	
Oil Storage	Tank(s)		nni c
Water Tank(s)		BBLS
			BBLS
Power Water	Tank		BBLS
YES Condensate T	ank(s)	1-210 BARREL TA	NK.
Promone Tools		BBLS	5
Propane Tank			
REMARKS: <u>HEATED SEPARATOR W/S</u>	HED, DEHYDR	RATOR & GAS METER IN S	SINGLE SHED.
Location central battery: Otr Range:	/Wtr:	Section:	iownsnip:
Inspector: DENNIS I	NGRAM		Date: <u>6/3/93</u>





State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF STATE LANDS AND FORESTRY

Norman H. Bangerter Governor

Dee C. Hansen
Executive Director
Richard J. Mitchell
Division Director

Dee C. Hansen
Salt Lake City, Utah
801-538-5508
801-355-0922 (Fax)

355 West North Temple 3 Triad Center, Suite 400 Salt Lake City, Utah 84180-1204 801-538-5508

MEMORANDUM

To: Lisha Romero

From: Claudia J. Silver-Huff

Date: January 12, 1992

Re: Pen 4905

Pursuant to our conversation last week, please find attached the list of wells which should be assigned a new pen number. These wells are currently a part of pen 4905. State Lands is requesting the new number for these wells even though they are included in the same participating area of the Chapita Wells Unit as covered by pen 4905. Two of the payors of these wells owe the State a different proportion of the division order interest in these wells than in the other wells under 4905, and the State Lands computer system cannot accommodate two different entries for the same commodity from the same payor.

If you have any further questions about this matter, please give me a call.



NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

PERATOR			& GAS	CO.
ADDRESS _	P. O.	BOX	250	
_			WY 8	33113

(307)276-3331 (JACKIE BRAUSE)

OPERATOR ACCT. NO. NO. NO. NO.

Phone No.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	HELL LOCATION				V	SPUD	EFFECTIVE
					QQ	SC	TP	RG	COUNTY	DATE	DATE
D	04905	11455		*SEE ATTACHED LIST*							1-12-93
WELL 1 C	OMMENTS:	*UPDAT	ED 1-12-93 /	CHAPITA WELLS UNIT "WSTC BCDE"	' P.A.		·	·!			- !
		(THIS	CHANGE DOES	NOT AFFECT ALL WELLS WITHIN SA	ME PAI	RTICIE	ATING	AREA)			:
D	04920	11456	43-047-32280	STAGECOACH 41-20	NENE	20	98	22E	UINTAH	7-30-92	1-12-93
WELL 2 COMMENTS:										• .	
*UPDATED 1-12-93 / STAGECOACH UNIT "WSTC" P.A. (THIS CHANGE DOES NOT AFFECT ALL WELLS WITHIN SAME PARTICIPATING AREA)											
							······	·	r	·	·
									:	,	
WELL 3 C	OHMENTS:	*NOTTET	FD ENRON OIL 8	GAS (WYOMING & VERNAL OFFICE) OF C	HANGE	<u>'</u>	.!		<u> </u>	
		HOTTE	ED ENKON OIL C	GAD (WICHING & VENNAL OFFICE) Or C	HANGE	J •				
	·	·	-		· · · · · · · · · · · · · · · · · · ·	·					
			·								
WELL 4 C	OMMENTS:				<u></u>	1	1			<u> </u>	
				•							
	γ				- y	·	·	· · · · · · · · · · · · · · · · · · ·	·		
WELL 5 C	OMMENTS:	1	1		<u>. I </u>	!	!	!			1
				· · · · · · · · · · · · · · · · · · ·							
ACTION CODES (See instructions on back of form) A - Establish new entity for new well (single well only) L. ROMERO (DOGM)										(DOGM)	
B - Add new well to existing entity (group or unit well) Signature										· · · · · · · · · · · · · · · · · · ·	
D - Re-assign well from one existing entity to a new entity E - Other (explain in comments section) ADMI										LYST	1-12-9: Date
-	Other (ex	P. 4111 111 CU		•					11616	_	Date

ENRON (

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

August 31, 1993

SEP 0 2 1993

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078 DIVISION OF OIL, GAS & MINING

RE: CHAPITA WELLS UNIT 321-26 SEC. 26, T9S, R22E UINTAH COUNTY, UTAH LEASE NO. U-0285-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

cc: Division of Oil Gas & Mining Curt Parsons

Doug Weaver/Toni Miller

Diane Cross - Houston EB-2370

File

/lwSundry

Form (June	

UNITED STATES DEPARTMENT OF THE INTERIOR RUPEAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

BUREAU OF	5. Lease Designation and Serial No. U-0285-A	
SUNDRY NOTICES Do not use this form for proposals to dr Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name	
	IN TRIPLICATE	7. If Unit or CA, Agreement Designation CHAPITA WELLS UNIT
Type of Well Oil		8. Well Name and No. CWU 321-26
ENRON OIL & GAS COMPANY 3. Address and Telephone No.		9. API Well No. 43-047-32100
P.O. BOX 1815, VERNAL, U 4. Location of Well (Footage, Sec., T., R., M., or Survey D		10. Field and Pool, or Exploratory Area CW/WASATCH
1263' FNL & 2318' FWL NE/NW SEC. 26, T9S, R22E		11. County or Parish, State UINTAH, UTAH
	s) TO INDICATE NATURE OF NOTICE, REPOR	<u> </u>
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice 13. Describe Proposed or Completed Operations (Clearly state a	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Other Il pertinent details, and give pertinent dates, including estimated date of starting cal depths for all markers and zones pertinent to this work.)*	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) any proposed work. If well is directionally drilled,
Enron Oil & Gas Compa water from the subjec 1. Store in abo 2. Transport by	ny requests approval to dispose	
	Accepted by the State of Utah Division of Oil, Gas and ling Date: 9-13-73 By:	CEP 0 2 1993 DIVISION OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and correct	Title Sr. Admin. Clerk	Date 8/31/93

14. I hereby certify that the foregoing is true and correct

Signed Signed Strue and correct

Title Sr. Admin. Clerk Date 8/31/93

(This space for Federal or State office use)

Approved by Conditions of approval, if any: Federal Approval of this Action is Necessary

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director

State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 601-359-3940 (Fax) 801-538-5319 (TDD)

UTAH DIVISION OF OIL, GAS AND MINING FACSIMILE COVER SHEET

DATE:	MARCH 12, 1997
FAX #	(307) 276–3898
ATTN:	BRENDA
COMPANY:	ENRON OIL & GAS
FROM:	LISHA_CORDOVA
DEPARTMENT	: OIL & GAS
NUMBER OF	PAGES BEING SENT (INCLUDING THIS ONE):5
	not receive all of the pages, or if they are illegible, (801) 538-
	ding from a Sharp facsimile machine. Our telecopier (801) 359-3940.
MESSAGES:	,
SAME INFO FA	XED TO CLAUDIA SILVER-HUFF/TRUST LANDS ADMIN. FOR REVIEW. SHE
WILL CALL ME	BACK WITH UPDATE ASAP. I WILL LET YOU KNOW OUTCOME. IF YOU
WOULD LIKE T	O TALK WITH HER PLEASE CALL (801)538-5100.

Important: This message is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return this original message to us at the above addressed via regular postal service. Thank you.

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter 801-359-3940 (Fax) Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

March 12, 1997

Claudia Silver-Huff School & Institutional Trust Lands Administration 675 East 500 South, Suite 500 Salt Lake City, Utah 84102

Chapita Wells Unit - Wasatch PA "B-C-D-E" - Entities 4905 Re: and 11455

Dear Claudia:

Enron Oil & Gas Co. has recently contacted the Division to request that wells currently listed under entity 11455 be changed to entity 4905 to make their reporting responsibilities easier and to eliminate the confusion regarding the double entity assignment for the Wasatch PA "B-C-D-E".

In January of 1993, all of these same wells were changed from entity 4905 to 11455 to accommodate and assist Trust Lands (formally "State Lands") with the collection of payor division order interest.

Please review the attached information and let me know if two separate entities are still necessary for the Wasatch PA "B-C-D-E".

Should you have any questions please call me at 538-5296.

Sincerely,

Lisha Cordova Admin. Analyst

lisha Cordova

cc: Enron Oil & Gas Co.

Division of Oil, Gas and Hining PHONE CONVERSATION DOCUMENTATION FORM

(Location) SecTwpRng(API No.)	[] Suspense (Return Date) _ (To - Initials) _	[] Other
I. Date of Phone Call: 8-15-97	Time:	11:30
2. DOGM Employee (name) L. C. Talked to:	ORDOVA	(Initiated Call KXX
Name RON CARLSON	_ (Initiated Call []) -	Phone No. <u>(801)</u> 538-5131
of (Company/Organization) _TRUS	T LANDS (SITLA)	
3. Topic of Conversation: CHAPITA	WELLS UNIT-WASATCH "B	-C-D-E" PA.
(ENTITY REVIEW 04905 AND 11455)		
4. Highlights of Conversation:		
A SECOND ENTITY NUMBER 11455 WAS	ASSIGNED TO THE SAME	PA 1/92 PER TRUST LANDS
(FORMERLY STATE LANDS) REQUEST.	CAN WELLS BE COMBINE	D UNDER ONE ENTITY 04905
AS PER OPERATOR REQUEST & DOGM R	EVIEW? RON CARLSON W	ILL REVIEW & NOTIFY DOGM
OF OUTCOME.		
*970819 - RON CARLSON SAYS OPERA	TOR "ENRON" IS REPORT	ING ALL DOI PAYMENTS, ETC.
UNDER ENTITY 04905; HE IS NOT SU		
BY THEM IN THE FIRST PLACE; MAY		
SYSTEM; IT IS OK TO CHANGE ALL W		ENTITY 11455 TO ENTITY
04905. ENRON NOTIFIED OF CHANGE	S TODAY 8-20-97.	
	•	

DIVISION OF UIL, GAS AND MINING ENTITY ACTION FORM - FORM 6				OPERATOR ENRON OIL & GAS ADDRESS						OPERATOR ACCT. NO. N 04		
ACTION CODE	CURRENT ENTITY HO.	HEH ENTITY NO.	API HUMBER	WELL NAME		ებ	l sc	WELL	LOCATION I RG	COUNTY	SPUD DATE	EFFECTIVE DATE
С	11455	04905	43-047-32100	***SEE ATTACHED***						COSTIT	UNIL	8-1-97
FLL 1 C) HHENTS:	*ENTITY 1	11455 ESTABLISH NG CHANGED TO (HED 2/93 PER TRUST LANDS NO 04905 EFF 8-1-97. (CHAPITA	O LON	IGER N LS UNI	JECESS	ARY;AI STC B-	LL WELL	LS CURRENTLY PA). OPERATO	UNDER 11 OR NOTIFI	455 ED.
ELL 2 C	OMMENTS:				··············		<u>'</u>		<u> </u>	,,,,,		
	F		4									•
											·	
	DHHENTS:							7		. 1	1	T
IELL 4 CI	DMHEHTS:						:	/				
PELL 5 CC				·~						1		<u></u>
B C D	tstablish Add new we Re-assign Re-assign	new entity Il to exist well from a well from a	on back of form) for new well (sing ling entity (group one existing entity one existing entity whents section)	or unit well)						L. CORDOVA Signature ADMIN. ANAI	(DOGM)	8-20-97
				ction Code was selected.		•				Title Phone No. (Date

FORM 10

STATE OF UTAH DIVISION OF OUR GAS AND WE

INING

DIVISION OF OIL, GAS AND MINING
1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Page 10 of 12

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTA	H ACCOUNT NUMBE	R:NO401	
PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250 BIG PINEY WY 83113				ORT PERIOD (MONTI	H/YEAR): 7 / 97 Highlight Changes)	·
Well Name	Producing	Well	Days	T	Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
WILD HORSE FEDERAL 3-26			- Opti	O ID (IDIO)	O/BUVIOI)	WATER(BBL)
4304732377 11439 105 19E 26 WILD HORSE FEDERAL 3-35	WSTC					
4304732389 11444 105 19E 35 CWU-321-26	WSTC					
4304732100 11455 09S 22E 26 CWU 306-27	WSTC					
4304732175 11455 09S 22E 27 CWU 307-28	WSTC					·
4304732176 11455 09S 22E 28 CWU 311-26	WSTC		ļ			
204732180 11455 095 22E 26	WSTC					
4304732200 11455 09S 22E 21 CWU 339-25	WSTC		1			
4304732206 11455 09S 22E 25 CWU 324-22	WSTC		,			
4304732208 11455 09S 22E 22 CWU 326-24	WSTC					<u>.</u>
4304732277 11455 09S 22E 24 CWU 334-2	WSTC					
4304732318 11455 09S 22E 2 CWU 327-23	WSTC					
4304732319 11455 09S 22E 23 CWU 347-26N	WSTC					
4304732367 11455 09S 22E 26	WSTC					
			TOTALS	<u> </u>		
OMMENTS:						
hereby certify that this report is true and complete to t	he best of my	knowledge		Da	ite:	
ame and Signature:					Telephone Number:	
12/93}						



EOG Resources, Inc. 1200 Smith Street Houston, TX, 77002

P.O. Box 4362 Houston, TX 77210-4362

October 6, 1999

VIA OVERNIGHT MAIL

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE:

Blanket Oil & Gas Well Drilling Bond No. JT 1230 Merger and Name Change from Enron Oil & Gas Company Into EOG Resources. Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. Enclosed are an originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change, a Rider for Bond No. JT 1230 changing the principal to EOG Resources, Inc. and a list of wells operated by Enron Oil & Gas Company in Utah. Please update your records accordingly.

If you have any questions or need any additional information, please contact me at (713) 853-5195.

Sincerely,

Debbie Hamre

Enclosures

cc:

Theresa Wysocki

Toni Miller, Denver Division

elebettamic

Bill Aven

OCT 7 1999

DIV. OF OIL, GAS & MINING





ENRON OIL & GAS COMPANY

CERTIFICATE OF NAME CHANGE

TO EOG RESOURCES, INC.

I, the undersigned, Vickie L. Graham, Assistant Secretary of EOG Resources, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Delaware and formerly known as Enron Oil & Gas Company, hereby certify that:

- (1) as Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation;
- (2) attached is a true and correct copy of a Certificate of Ownership and Merger merging EOG Resources, Inc. into Enron Oil & Gas Company, and changing the corporate name of Enron Oil & Gas Company to EOG Resources, Inc., including a copy of the certificate of the Secretary of State of Delaware, the state of incorporation; said merger and name change being effective as of August 30, 1999.

IN WITNESS HER affixed the corporate	REOF, I have he seal of sa , 1999.	ereunto set my ha aid Corporation	and as Assis this	tant Secretary Hh day	and of
de la trascala d		١.,			

CORPORATE SEAL

Vickie L. Graham Assistant Secretary

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me this _____ day of Resources, Inc., a Delaware corporation, on behalf of said corporation. Witness my hand and official seal.

ANN S. BYERS
NOTARY PUBLIC, STATE OF TEXAS
MY COMMISSION EXPIRES
FEB. 15, 2003

Notary Public in and for The State of Texas

Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EOG RESOURCES, INC.", A DELAWARE CORPORATION,

WITH AND INTO "ENRON OIL & GAS COMPANY" UNDER THE NAME OF "EOG RESOURCES, INC.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE THIRTIETH DAY OF AUGUST, A.D. 1999, AT 4:30 O'CLOCK P.M.



AUTHENTICATION:

2064000 8100M

DATE:

09-03-99

9955549

991371085



CERTIFICATE OF OWNERSHIP AND MERGER

MERGING

EOG RESOURCES, INC. a Delaware corporation

INTO

ENRON OIL & GAS COMPANY a Delaware corporation

(Pursuant to Section 253 of the General Corporation Law of the State of Delaware)

Enron Oil & Gas Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware, does hereby certify:

FIRST: That Enron Oil & Gas Company (the "Company") and EOG Resources, Inc. ("EOG") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That the Company owns all of the issued and outstanding shares of the capital stock of EOG.

THIRD: That the board of directors of the Company adopted the following resolutions by unanimous written consent dated August 25, 1999, and that such resolutions have not been rescinded and are in full force and effect on the date hereof:

"WHEREAS, EOG Resources, Inc., a Delaware corporation ("EOG"), is a wholly owned subsidiary of the Company;

WHEREAS, the board of directors of the Company deems it advisable and in the best interest of the Company to merge EOG with and into the Company, with the Company being the surviving corporation;

Now, THEREFORE, BE IT RESOLVED, that EOG be merged with and into the Company pursuant to Section 253 of the General Corporation Law of the State of Delaware, and that the Company succeed to and possess all the rights and assets of EOG and be subject to all of the liabilities and obligations of EOG;

RESOLVED, that the Company change its corporate name by changing Article First of the Certificate of Incorporation of the Company to read in its entirety as follows:

"First: The name of the Corporation is EOG Resources, Inc."



stock, \$1.00 par value per share, of EOG

RESOLVED, that each share of common stock, \$1.00 par value per share, of EOG issued and outstanding immediately prior to the effective date of the merger shall, upon the effective date and by virtue of the merger, be canceled without payment therefor;

RESOLVED, that the merger shall become effective on the date the Company files a Certificate of Ownership and Merger with respect to such merger with the Secretary of State of the State of Delaware;

RESOLVED, that the appropriate officers of the Company are hereby authorized and empowered to file the necessary documents with the Secretary of State of the State of Delaware, to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of the Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of the Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer);

RESOLVED, that the prior actions of the officers and directors of the Company in undertaking to carry out the transactions contemplated by the foregoing resolutions be, and the same hereby are, in all respects, approved, adopted, ratified and confirmed."

IT WITNESS WHEREOF, the Company has caused this Certificate to be signed by its duly authorized officer this 26th day of August, 1999.

ENRON OIL & GAS COMPANY

By:

Walter C. Wilson

Senior Vice President and Chief Financial Officer

P:\Ibh\EOG Resources, Inc\5301020_v2.doc







United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 SL-065342 et al (UT-932)

OCT 1 8 1999

NOTICE

EOG Resources, Inc. Attn: Debbie Hamre P.O. Box 4362 Houston, TX 77210-4362

Oil and Gas Leases

Merger Recognized Name Change Recognized

Acceptable evidence has been received in this office concerning the merger of EOG Resources, Inc. with and into Enron Oil & Gas Company with Enron Oil & Gas Company subsequently changing its name to EOG Resources, Inc.

For our purposes, the merger and name change are recognized effective September 3, 1999, the date the Secretary of State of the State of Delaware recognized the merger and name change.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger/name change. The exhibit is the list supplied by EOG Resources, Inc. We have not adjudicated the case files to determine if the entity affected by the merger/name change holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger/name change by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.


Due to the name change, the name of the principal/obligor on the bond is required to be changed from Enron Oil & Gas Company to EOG Resources, Inc. on Nationwide Surety Bond No. JP 0923 (BLM Bond No. NM 2308). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name may be furnished to the New Mexico State Office of the Bureau of Land Management.

a Rebort Lopez

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure:

Exhibit of Leases



Page 5 of 20 01/18/2000

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250 BIG PINEY, WY 83113

UTAH ACCOUNT I	NUMBER:N	0401
REPORT PERIOD	(MONTH/YEA	R): 12 / 1999

AMENDED REPORT [(Highlight Changes)

WELL NAME					Producing	Well	Well	Days		Production Vo	limos
API Number	Entity	Loca	tion	1	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	
CWU 321-26	••,								OII (BBB)		WATER (BBL)
4304732100	04905	098	22E	26	WSTC		GW		U-0285A	Chapita, Wells unit	apprv 10.20.
CWU 323-22 4304732101	04905	09S	22E	22	WSTC		GW		U-0284A	11	<i>])</i>
CWU 306-27 4304732175	04905	098	22E	27	WSTC		GW		U-0285A	/1	(1
CWU 307-28 4304732176	04905	098	22E	28	WSTC		GW	<u></u>	U-0285A	11	11
CWU 311-26 4304732180		098			WSTC		GW			17	71
J 308-21		09S :			WSTC				U-0285A		•
CWU 339-25 4304732206		09S :			WSTC		GW		U-0284A		
CWU 324-22 4304732208		09S 2			WSTC		GW		U-010956	11	
WU 342-22		095 2			WSTC		GW		U-0284A		
WU 326-24 304732277		09S 2			WSTC		GW		U-0284A	11	11
WU 334-2 304732318							GW		U-0282	11	
WU 327-23		09S 2			WSTC		GW		ML-3077	11	
304732319 WU 347-26N		09S 2	2E :	23	WSTC		GW		U-0282	11	
304732367	04905 (09S 2	2E 2	26	WSTC		GW		4-010956	(1	10
							T	OTALS			
COMMENTS : _											

nereby certify that this report is true and complete to the best of my knowledge.	Date:	
Name and Signature:	Telephone Number:	



Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Bivision Director 801-359-3940 (Fax) 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340

February 1, 2000

Enron Oil & Gas Company P.O. Box 250 Big Piney, Wyoming 83113

Re: Notification of Sale or Transfer of Fee Lease Interest

The Division has received notification of a merger from Enron Oil & Gas Company to EOG Resouces Inc. for the following well(s) which are located on a fee lease:

<u>Well Name</u>	<u>SecTR.</u>	API Number
Stagecoach 18-17	17-09S-22E	43-047-30611
CWU 228-09	09-09S-22E	43-047-31317
CWU 337-09	09-09S-22E	43-047-32414
CWU 408-9N	09-09S-22E	43-047-33043
CWU 536-9F	09-09S-22E	43-047-33143
North Chapita 2-5	05-09S-22E	43-047-33211
CWU 535-9F	09-09S-22E	43-047-33275

Utah Administrative Rule R649-2-10 states; the owner of a lease shall provide notification to any person with an interest in such lease, when all or part of that interest in the lease is sold or transferred.

This letter is written to advise Enron Oil & Gas Company of its responsibility to notify all individuals with an interest in this lease (royalty interest and working interest) of the change of operator. Please provide written documentation of this notification to:

Utah Royalty Owners Association Box 1292 Roosevelt, Utah 84066



99

Page 2 Enron Oil & Gas Company Notification of Sale February 1, 2000

Your assistance in this matter is appreciated.

Sincerely,

Kristen D. Risbeck

Knstup Risblek

cc: EOG Resources Inc.
Utah Royalty Owners Association, Martin Brotherson
John R. Baza, Associate Director
Operator File(s)





EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4362 Houston, TX 77210-4362

> SENT VIA FAX (801)359-3940

March 10, 2000

Ms. Kristen Risbeck State of Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, UT 84114-5801

RE:

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. An originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change was previously sent to you. As we discussed today, there are two wells, the CWU 590-16F, NWNW-16-T9S-R22E, 430473337200 and the CWU 596-9F, SWSE-9-T9S-R22E, 430473337400 that should have been included on the original well list we mailed October 6, 1999, but they were inadvertently left off.

Please change your records to reflect these two additional wells as operated by EOG Resources, Inc. If you have any questions or need any additional information, please contact me at the (713) 651-6714.

Sincerely,

Debbie Hamre




COTTONTAIL FED 1-18	WELL NAME		EOG PROPERTY #	API#
COTTONTAIL FED 1-18 COTTONWOOD FED 1-20 W	BRENNAN BOTTOMS 1-15	4-14639		430473101800
CWU 1-04 U - 1572b 003665000001 43047306600 CWU 1-05 WASATCH U - 15727 003666000001 43047306610 CWU 5-22 U - 0284 A 003729000001 43047150510 CWU 7-10 U - 028 B 003667000001 43047150560 CWU 11-15 U - 028 B 003667000001 43047150560 CWU 13-13 U - D28 L 003671000001 43047150580 CWU 15-11 U - D28 L 003672000001 43047150600 CWU 15-11 U - D28 L 003673000001 43047150610 CWU 15-14 U - D28 D 003673000001 43047150610 CWU 17-25 U - D28 A 003673000001 43047150660 CWU 21-23 U - D28 A 003683000001 43047150660 CWU 21-23 U - D28 A 003683000001 43047150660 CWU 21-23 U - D28 A 003709000001 43047150660 CWU 21-20 ML- 3D78 0037090000	1		000721000001	430473189900
CWU 1-05 WASATCH	l .	4-0575	003570000001	430473187500
CWU 5-22 M − 0 284 + A 003729000001 43047150510 CWU 7-10 M − 0 281 003742000001 43047150530 CWU 11-15 M − 0 283 + A 003667000001 43047150580 CWU 13-13 M − 0 282 003669000001 43047150580 CWU 15-11 M − 0 282 003672000001 43047150610 CWU 16-14 M − 0 285 003673000001 43047150610 CWU 17-25 M − 0 285 A 003673000001 43047150620 CWU 20-28 M − 0 285 A 003673000001 43047150650 CWU 21-23 M − 0 285 A 003678000001 43047150650 CWU 22-09 M − 0 285 A 003683000001 43047150660 CWU 24-02 ML − 307 T 003701000001 43047150660 CWU 31-14 U − 0 285 A 003701000001 43047302300 CWU 32-21 M − 0 284 A 003710000001 43047302320 CWU 33-16 M − 0 28 A 003714000001 43047302330 CWU 34-28 SL − 0 28 A 003714000001 43047302350 CWU 35-15	CWU 1-04	U-15726	003665000001	430473066000
CWU 7-10	CWU 1-05 WASATCH	U-15727	003666000001	430473066100
CWU 7-10 N − 028 003742000001 43047150530 CWU 11-15 N − 0283 A 003667000001 43047150560 CWU 13-13 N − 028 003669000001 43047150580 CWU 15-11 N − 028 003671000001 43047150600 CWU 16-14 N − 028 003673000001 43047150610 CWU 17-25 N − 028 003673000001 43047150620 CWU 20-28 N − 028 003678000001 43047150620 CWU 21-23 N − 028 003680000001 43047150660 CWU 22-09 N − 028 003680000001 43047150660 CWU 24-02 M − 028 003683000001 43047150660 CWU 30-22 N − 028 003709000001 43047150660 CWU 31-14 N − 028 003709000001 43047302290 CWU 32-21 N − 028 003710000001 43047302320 CWU 33-16 N − 028 0037110000001 43047302330 CWU 34-28 SL − 062 003713000001 43047302360 CWU 35-15 N − 028 <td>CWU 5-22</td> <td>U-0284-A</td> <td>003729000001</td> <td>430471505100</td>	CWU 5-22	U-0284-A	003729000001	430471505100
CWU 11-15 U-0283 A 003667000001 43047150560 CWU 13-13 U-0281 003669000001 43047150580 CWU 15-11 U-0281 003671000001 43047150600 CWU 16-14 U-0282 003672000001 43047150610 CWU 17-25 U-0285A 003673000001 43047150620 CWU 20-28 U-0285A 003678000001 43047150660 CWU 21-23 U-0282 003683000001 43047150660 CWU 22-09 U-0283A 003683000001 43047150660 CWU 24-02 ML-3077 003701000001 43047150660 CWU 30-22 U-0284A 003709000001 43047302290 CWU 31-14 U-0282 003710000001 43047302320 CWU 32-21 U-0284A 0037110000001 43047302330 CWU 33-16 ML-3078 003712000001 43047302350 CWU 34-28 SL-065296 003713000001 43047302350 CWU 35-15 U-0283A 003714000001 43047302630 CWU 35-16 M-0283A 003718000001	CWU 7-10		003742000001	430471505300
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 11-15		003667000001	430471505600
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 13-13		003669000001	430471505800
CWU 16-14 CWU 17-25 U - D289A 003673000001 43047150610 CWU 20-28 U - D289A 003673000001 43047150620 CWU 21-23 U - D289A 003683000001 43047150660 CWU 22-09 U - D283A 003683000001 43047150660 CWU 24-02 ML - 3077 003701000001 43047150680 CWU 30-22 U - D284A 003709000001 43047150680 CWU 31-14 U - D282 003710000001 43047302320 CWU 32-21 U - D284A 003711000001 430473023300 CWU 33-16 ML - 3078 003712000001 430473023300 CWU 34-28 SL - D6529D 003714000001 430473023500 CWU 36-26 U - D285A 003714000001 430473023600 CWU 37-11 U - D285A 003716000001 430473026300 CWU 38-09 U - D285A 003716000001 430473026600 CWU 39-16 CWU 39-16 ML - 3078 003717000001 430473026800 CWU 39-16 ML - 3078 003718000001 430473026800 CWU 42-13 U - D281 003712000001 430473026800 CWU 42-13 U - D281 003712000001 430473026800 CWU 42-13 U - D282 003722000001 430473028900 CWU 42-13 U - D281 003722000001 430473029000 CWU 42-13 U - D281 003722000001 430473029000 CWU 42-13 U - D282 003722000001 430473029000 CWU 42-13 U - D281 003722000001 430473029000 CWU 42-13 U - D281 003722000001 430473029000 CWU 42-13 U - D282 003722000001 430473029000 CWU 44-10 U - D281 003722000001 430473029100 CWU 45-25 U - D285A 003728000001 430473061500 CWU 48-19 U - D285A 003728000001 430473061500 CWU 48-19 U - D285A 003728000001 430473070200001	CWU 15-11		003671000001	430471506000
CWU 17-25 CWU 20-28 CWU 20-28 CWU 21-23 CWU 21-23 CWU 22-09 CWU 22-09 CWU 24-02 ML − D283A CWU 30-22 CWU 30-22 CWU 31-14 CWU 32-21 CWU 33-16 CWU 34-28 CWU 35-15 CWU 35-15 CWU 35-15 CWU 36-26 CWU 36-26 CWU 37-11 CWU 36-26 CWU 37-11 CWU 38-09 CWU 39-16 CWU 40-27 CWU 40-27 CWU 42-13 CWU 42-13 CWU 42-13 CWU 43-11 CWU 42-13 CWU 43-11 CWU 44-10 CWU 45-25 CWU 47-30 CWU 48-19 CWU 48-19 CWU 49-25 CWU 49-26 CWU 49-26 CWU 49-27 CWU 49-26 CWU 49-27 CWU 49-27 CWU 49-25 CWU 49-26 CWU 49-27	CWU 16-14		003672000001	430471506100
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 17-25		003673000001	430471506200
CWU 21-23 N − DZ\$Z 003680000001 43047150660 CWU 22-09 N − DZ\$Z\$A 003683000001 43047150670 CWU 24-02 ML−3077 003701000001 43047150680 CWU 30-22 N − DZ\$Z\$A 003709000001 43047302290 CWU 31-14 U − DZ\$Z\$A 003710000001 43047302320 CWU 32-21 U − DZ\$AA 003711000001 43047302330 CWU 33-16 ML − 307\$B 003712000001 43047302340 CWU 34-28 SL − Db529\$b 003713000001 43047302350 CWU 35-15 M − DZ\$B 003714000001 43047302360 CWU 36-26 M − DZ\$B 003715000001 43047302630 CWU 37-11 M − DZ\$B 003716000001 43047302650 CWU 38-09 M − DZ\$B 003718000001 43047302650 CWU 39-16 M − DZ\$B 003718000001 43047302680 CWU 40-27 M − DZ\$B 003719000001 43047302890 CWU 42-13 M − DZ\$B 003722000001 430473028900 CWU 44-10 M − DZ\$B	CWU 20-28		003678000001	430471506500
CWU 22-09 U−D283A 003683000001 43047150670 CWU 24-02 ML−3β77 003701000001 43047150680 CWU 30-22 U−D284A 003709000001 43047302290 CWU 31-14 U−0282 003710000001 43047302320 CWU 32-21 U−0284A 003711000001 43047302330 CWU 33-16 ML−3078 003712000001 43047302340 CWU 34-28 SL−Db529b 003713000001 43047302350 CWU 35-15 U−0283A 003714000001 43047302360 CWU 36-26 IA−D285A 003715000001 43047302630 CWU 37-11 U−D281 003716000001 43047302650 CWU 38-09 U−D283A 003718000001 43047302650 CWU 39-16 ML−3D78 003718000001 43047302680 CWU 40-27 I√D34AA 003719000001 43047302870 CWU 42-13 I√D282 003721000001 43047302890 CWU 43-11 I/D283 003722000001 430473029100 CWU 44-10 I/D283 003728000001	CWU 21-23		003680000001	430471506600
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 22-09		003683000001	430471506700
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 24-02		003701000001	430471506800
CWU 31-14	CWU 30-22		003709000001	430473022900
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 31-14		003710000001	430473023200
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 32-21		003711000001	430473023300
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 33-16		003712000001	430473023400
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 34-28		003713000001	430473023500
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 35-15		003714000001	430473023600
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CWU 36-26		003715000001	430473026300
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			003716000001	430473026400
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			003717000001	430473026500
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 39-16		003718000001	430473026800
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 40-27		003719000001	430473028700
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			003721000001	430473028900
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			003722000001	430473029000
CWU 47-30 $U-0.33.7$ 003726000001 430473061400 CWU 48-19 $U-0.33.7$ 003727000001 430473061500 CWU 49-25 $U-0.28.6A$ 003728000001 430473070200	CWU 44-10		003723000001	430473029100
CWU 48-19	CWU 45-25	11-010956	003724000001	430473061200
CWU 48-19 $U-0337$ 003727000001 430473061500 $U-0286A$ 003728000001 430473070200		4-0337	003726000001	430473061400
U VZX SH			1	430473061500
CWI 52-33 17. 002722000004 420472074200		U-0285A	003728000001	430473070200
J	CWU 52-33	U-0336	003732000001	430473071200
CWU 58-19 μ - ρ 337 003738000001 430473082700			003738000001	430473082700
CWU 217-23 $U - 0282$ 003681000001 430473115700			003681000001	430473115700
CWU 220-10			003684000001	430473115400
CWU 224-10 $U-b28$ 003685000001 430473121800			003685000001	430473121800
CWU 225-02 $ML-3077$ 003686000001 430473130500		ML-3077	003686000001	430473130500
	CWU 226-03		003687000001	430473131200
CWU 227-03 $U-0.281$ 003688000001 430473131300			003688000001	430473131300
	CWU 228-09		003689000001	430473131700
CWU 229-12 11-0282 003690000001 430473131500			003690000001	430473131500
CWU 231-14 U - 0282 003692000001 430473131800	OWU 231-14		003692000001	430473131800



	WELL NAME	EOG PROPERTY #	API#
CWU 232-15	U-0283A	003693000001	430473130900
CWU 233-15	U-0283A	003694000001	430473132000
CWU 234-23	U-0282	003695000001	430473131900
CWU 236-13 BC	U-0282	003697000001	430473139300
CWU 236-13 PP		003697000002	430473139300
CWU 237-22	U-0284	003698000001	430473139200
CWU 238-16	ML-3078	003699000001	430473138500
CWU 239-09	U-0283A	003700000001	430473148300
CWU 240-16	ML-3018	003702000001	430473147100
CWU 241-16	ML-3078	003703000001	430473147200
CWU 244-25A CH	U-0285A	003707000002	430473155900
CWU 244-25A ISL		003707000001	430473155900
CWU 301-26	4-010956	019747000001	430473200200
CWU 302-2F	ML-3077	020089000001	430473321200
CWU 303-22	U-0284A	019748000001	430473200000
CWU 304-13	U-0282	019749000001	430473199900
CWU 306-27	U-0285A	021166000001	430473217500
CWU 307-28	U-0285A	021167000001	430473217600
CWU 308-21	U-0284A	021168000001	430473220000
CWU 310-9	U-0283A	024129000001	430473243900
CWU 311-26	U-0285A	021169000001	430473218000
CWU 312-23	U-0282	020022000001	430473209100
CWU 315-11F	4-0281	032567000001	430473332600
CWU 319-14	U-0282	020023000001	430473209600
CWU 320-11X	U-0281	024130000001	430473244800
CWU 321-26	U-0285A	020025000001	430473210000
CWU 323-22	U-0284A	020024000001	430473210100
CWU 324-22	U- 0284A	021172000001	430473220800
CWU 325-24N	<u> </u>	031378000001	430473306600
CWU 326-24	U-0282	021628000001	430473227700
CWU 327-23	11-0282	021629000001	430473231900
CWU 328-24F	U-0282	032254000001	430473332100
CWU 332-10	Ú-0281	024131000001	430473243100
CWU 334-02	ML-3077	021630000001	430473231800
CWU 337-9N	FEE	021631000001	430473241400
CWU 339-25	4-010966	021173000001	430473220600
CWU 340-26N	U-0285A	024133000001	430473241900
CWU 341-21N	U-0284A	022029000001	430473237100
CWU 342-22	U-0284A	021198000001	430473221000
CWU 343-15N	U-0283A	022030000001	430473236900
CWU 344-23N	U-0282	022031000001	430473237000
CWU 345-9N	U-0283A	022032000001	430473237200
CWU 346-26N	U-0285A	022033000001	430473236800
CWU 347-26N	4-110956	022034000001	430473236700
CWU 348-23N	U-0282	022035000001	430473237300





IA IN ELROR



WELL NAME		EOG PROPERTY#	API#
CWU 474-21F	U-0284A		430473333100
CWU 477-27F	U-0285A	030391000001	430473289700
CWU 479-26F	U-0285A	027631000001	430473282600
CWU 480-26F	U-0285A	030388000001	430473289600
CWU 482-09F	U-0283A	030392000001	430473289400
CWU 483-15F	U-0283A	030665000001	430473295300
CWU 485-26F	U-0285A	030670000001	430473292700
CWU 486-2F	ML-3077	030576000001	430473294900
CWU 487-09F	U-0283A	030617000001	430473295000
CWU 488-13F	U-0282	030570000001	430473292200
CWU 490-16N	ML-3078	030615000001	430473295500
CWU 491-16N	ML-3078	030618000001	430473295600
CWU 492-16F	ML-3078	030616000001	430473295700
CWU 494-22F	U-0284A	030444000001	430473291500
CWU 495-25N	U-0285A	030673000001	430473304700
CWU 496-21E	U-0284A	030614000001	430473295800
CWU 497-24F	U-0282	030674000001	430473304600
CWU 498-25E	4-010956	030575000001	430473304800
CWU 499-24F	U-0282	030672000001	430473292600
CWU 505-28F	U-023998	031400000001	430473318000
CWU 506-27F	U-0285A	031401000001	430473283300
CWU 507-26F	4-010956	032444000001	430473333200
CWU 511-24F	U-0282	031379000001	430473305900
CWU 514-23F	4-0282	031380000001	430473305800
CWU 516-21F	U-0284A	031382000001	430473313700
CWU 517-16F	ML-3078	032257000001	430473317100
CWU 518-16F	mL-3078	031402000001	430473313800
CWU 520-15F	U-0283A	031381000001	430473312700
CWU 521-15F	U-0283 A	032258000001	430473329600
CWU 522-15F	U-0283A	032242000001	430473323600
CWU 523-14F	U-0282	032259000001	430473329700
CWU 524-13F	U-0282	031403000001	430473311500
CWU 531-11F	U-0281	032260000001	430473329800
CWU 532-10F	4-0281	031407000001	430473326500
CWU 534-9F	U-0283A	031408000001	430473327400
CWU 535-9F	FEE	032220000001	430473327500
CWU 536-09F	FEE	031409000001	430473314300
CWU 538-3N	U-0281	031410000001	430473312500
CWU 542-3	U-0281	032221000001	430473321300
CWU 543-3	U-0281	032222000001	430473327100
CWU 544-02F	ML-3077	032576000001	430473335100
CWU 547-2F	ML-3077	031412000001	430473313600
WU 549-19F	U-0337	031383000001	430473306800
WU 550-30N	U-0337	031384000001	430473311600
WU 555-10F	U-0281	031385000001	430473323700



WELL NAME		EOG PROPERTY#	API#	
CWU 556-11F	U-0281	031414000001	430473330100	
CWU 558-14F	U-0282	031386000001	430473310500	
CWU 559-14F	U-0282	031387000001	430473310600	
CWU 560-14F	U-0282	031416000001	430473311700	
CWU 561-14F	U-0282	031417000001	430473311800	
CWU 563-27F	U-0285A	031419000001	430473276900	
CWU 564-16F	ML-3078	031388000001	430473312600	
CWU 565-28F	U-0285A	031245000001	430473306700	
CWU 566-22F	U-0284A	031420000001	430473311900	
CWU 570-02F	ML-3077	031746000001	430473335200	
CWU 571-9F	U-0283A	031747000001	430473326600	
CWU 572-10F	U-0281	031748000001	430473326700	
CWU 573-11F	4-0281	031749000001	430473330200	
CWU 574-12N	U-0281	031750000001	430473330300	
CWU 575-13F	4-0282	031751000001	430473331600	
CWU 576-14F	4-0283	031752000001	430473321500	
CWU 577-22F	U-0284A	031753000001	430473332700	
CWU 578-22F	U-0284A	031754000001	430473331700	
CWU 579-23F	11-0282	031755000001	430473331800	
CWU 580-23F	LI-0282	031756000001	430473331900	
CWU 582-1N	U-01458	031758000001	430473323500	
CWU 584-13F	U-0282	032261000001	430473332200	
CWU 585-2	ML-3077	032223000001	430473321600	
CWU 586-4	U-0283A	032224000001	430473326800	
CWU 589-28	U-0285A	032262000001	430473332800	
CWU 591-23F	4-0282	032577000001	430473332000	
CWU 592-11F	'U-0281	032578000001	430473332900	
CWU 593-11F	U-0281	032579000001	430473335400	
DC 1-11 GR	U-27042	003747000001	430473032600	
DC 2-10 GR	4-27042	003758000001	430473043400	
DC 4-17 GR	U-38400	003780000001	430473064200	
DC 60-29	U-24230	003804000001	430473109300	
DC 61-29	U-24230	003805000001	430473126300	
HARLEY GOVT #1	Petrox - 18 billion	009856000001	430191504600	
HOME FEDERAL #1-34	U-3405	006503000001	430473022300	
HOME FEDERAL #1-34 WAS		006503000002	430473022300	
LTL PAP 1-26 B5	U-43156	010439000001	430473177900	
LTL PAP 1-26 RED	01 1390	010439000002	430473177900	
N CHAPITA 2-5	Fee	031873000001	430473321100	
NATURAL COTTON 11-20	U-1575	023868000001	430473243000	
NATURAL COTTON 12-17	4-0575	025208000001	430473246300	
NATURAL COTTON 13-20	U-0575	023863000001	430473242900	
NATURAL COTTON 14-08	U-0575	023867000001	430473242800	
NATURAL COTTON 23-18	U-0581	023866000001	430473242700	
NATURAL COTTON 23-28	V10576	023864000001	430473242500	



NATURAL COTTON 34-21	WELL NAME		EOG PROPERTY#	API#	
NATURAL COTTON 43-16 ML-3982 025207000001 430473046800 NBU 1-07B 004478000001 430473026100 NBU 2-15B 004489000001 430473026200 NBU 3-02B 004524000001 430473026200 NBU 3-02B 004524000001 430473026700 NBU 4-35B 00453000001 430473027300 NBU 5-36B 00453000001 430473027300 NBU 7-09B 004573000001 430473027500 NBU 7-09B 004573000001 430473027500 NBU 10-29B 004578000001 430473027500 NBU 11-14B M-06717 00448000001 430473027500 NBU 11-14B M-06717 00448000002 430473029200 NBU 11-14B M-06717 00448000001 430473029200 NBU 11-14B M-06717 00448000001 430473029200 NBU 11-32B M4 U-05717 00448000001 430473029200 NBU 13-08B 004482000001 430473029500 NBU 15-29B 004482000001 430473029500 NBU 15-29B 004482000001 430473029500 NBU 15-29B 004485000001 430473029500 NBU 17-18B 004485000001 430473031700 NBU 19-21B 004485000001 430473031700 NBU 19-21B 004485000001 4304730331700 NBU 21-20B MDW 004497000001 430473033900 NBU 25-20B 004516000001 430473038300 NBU 25-31B 004516000001 430473038300 NBU 25-31B 004516000001 430473038300 NBU 25-31B 004526000001 430473038300 NBU 35-38B 004516000001 430473038700 NBU 35-38B 004536000001 430473038700 NBU 35-38B 004536000001 430473038500 NBU 35-38B 004536000001 430473038500 NBU 37-13B 004536000001 430473038000 NBU 38-29B 004536000001 430473047000 NBU 38-29B 004536000001 430473047000 NBU 38-29B 004536000001 430473047000		U-1576	023865000001	430473242600	
NBU 2-15B	1			430473046800	
NBU 3-02B			004478000001	430473026100	
NBU 4-35B			004489000001	430473026200	
NBU 5-36B	- T		004524000001	430473026700	
NBU 7-09B			004538000001	430473027300	
NBU 8-20B	\ ' · · · · · · · · · · · · · · · · ·		004550000001	430473027200	
NBU 10-29B	_		004573000001	430473027800	
NBU 11-14B	· · =		004576000001	430473027500	
NBU 11-14B WAS			004479000001	430473027400	
NBU 11-14B WAS	· ·	11-0577A	004480000002	430473029200	
NBU 13-08B				430473029200	
NBU 13-08B	1	U-0577A	004481000002	430473030800	
NBU 15-29B	NBU 13-08B		004482000001	430473029400	
NBU 15-29B		11-0581	004483000001	430473029500	
NBU 17-18B	1		004484000001	430473029600	
NBU 19-21B			004485000001	430473031600	
NBU 20-01B	NBU 17-18B		004486000001	430473031700	
NBU 21-20B WDW 004497000001 430473035900 NBU 25-20B 004516000001 430473036300 NBU 26-13B 004517000001 430473036400 NBU 27-01B U-022704 004518000002 430473038100 NBU 28-04B 004521000001 430473036800 NBU 30-18 004528000001 430473038500 NBU 31-12B BC 004528000002 430473038500 NBU 31-12B BC 004528000001 430473038500 NBU 31-12B ISL 004528000001 430473038500 NBU 33-17B 004531000001 430473039600 NBU 34-17B 00035000001 430473039600 NBU 35-08B 004533000001 430473039700 NBU 37-13B	NBU 19-21B		004488000001	430473032800	
NBU 25-20B	f		004490000001	430473031900	
NBU 26-13B	NBU 21-20B WDW		004497000001	430473035900	
NBU 27-01B	<u> </u>		004516000001	430473036300	
NBU 28-04B			004517000001	430473036400	
NBU 28-04B		U-02270A	004518000002	430473038100	
NBU 30-18			004521000001	430473036700	
NBU 31-12B BC			004523000001	430473036800	
NBU 31-12B ISL	· ·		004526000001	430473038000	
NBU 33-17B			004528000002	430473038500	
NBU 34-17B 000350000001 430473040400 NBU 35-08B 004533000001 430473039700 NBU 36-07B 004534000001 430473039900 NBU 37-13B ルールラフタ 004535000001 430473040000 NBU 38-22B ルールラフタ 004536000001 430473040100 NBU 48-29B 004547000001 430473054200 NBU 48-29B 004547000002 430473054200 NBU 48-29B 004547000001 430473047000 NBU 49-12B 004548000001 430473047000 NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 53-03B 004555000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004528000001	430473038500	
NBU 35-08B			004531000001	430473039600	
NBU 36-07B			000350000001	430473040400	
NBU 37-13B			004533000001	430473039700	
NBU 38-22B U-0577A 004536000001 430473040100 NBU 48-29B 004547000001 430473054200 NBU 48-29B 004547000002 430473054200 NBU 49-12B 004548000001 430473047000 NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004534000001	430473039900	
NBU 48-29B 004547000001 430473054200 NBU 48-29B 004547000002 430473054200 NBU 49-12B 004548000001 430473047000 NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200		4-0579	004535000001	430473040000	
NBU 48-29B 004547000002 430473054200 NBU 49-12B 004548000001 430473047000 NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004536000001	430473040100	
NBU 49-12B 004548000001 430473047000 NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004547000001	430473054200	
NBU 52-01B 004553000001 430473047300 NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004547000002	430473054200	
NBU 53-03B 004555000001 430473047400 NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004548000001	430473047000	
NBU 54-02B 004556000001 430473047500 NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200			004553000001	430473047300	
NBU 55-10B 004557000001 430473046500 NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200	. —		004555000001	430473047400	
NBU 57-12B 004559000001 430473046300 NBU 58-23B 004560000001 430473046200	-		004556000001	430473047500	
NBU 58-23B 004560000001 430473046200			004557000001	430473046500	
100470040200			004559000001	430473046300	
NBU 62-35B 004565000001 430473047700			004560000001	430473046200	
	NBU 62-35B		004565000001	430473047700	



WELL NAME	EOG PROPERTY #	API#
NBU 63-12B	004566000001	430473046600
NBU 70-34B	004574000001	430473057700
NBU 71-26B	004575000001	430473057800
NBU 202-03	004493000001	430473115000
NBU 205-08	004494000001	430473123800
NBU 206-09	004495000001	430473116500
NBU 207-04	004496000001	430473117700
NBU 210-24	004498000001	430473115300
NBU 211-20	004499000001	430473115600
NBU 212-19	004500000001	430473126700
NBU 213-36	004501000001	430473126800
NBU 217-02	004505000001	430473128200
NBU 218-17	004506000001	430473131000
NBU 219-24	004507000001	430473130800
NBU 301-24E	020165000001	430473213100
NBU 302-9E	019750000001	430473201000
NBU 304-18E	020166000001	430473213000
NBU 305-07E	020167000001	430473213500
NBU 306-18E	021473000001	430473228200
NBU 307-6E	019751000001	430473201400
NBU 308-20E	021203000001	430473220200
NBU 309-20E	021295000001	430473228300
NBU 311-23E	021205000001	430473220300
NBU 313-29E	021832000001	430473237800
NBU 314-03E	021404000001	430473227100
NBU 316-17E	021935000001	430473238100
NBU 317-12E	021938000001	430473236200
NBU 318-36E	021204000001	430473220400
NBU 321-10E	021943000001	430473237900
NBU 322-15E	031312000001	430473313900
NBU 325-8E	021940000001	430473237600
NBU 328-13E	021944000001	430473238600
NBU 329-29E	021532000001	430473222900
NBU 331-35E	020174000001	430473214700
NBU 332-08E	020175000001	430473214800
NBU 333-2E	021405000001	430473251800
NBU 335-23E	021406000001	430473226500
NBU 336-24E	021407000001	430473226400
NBU 339-19E	021533000001	430473228100
NBU 340-20E	021408000001	430474232700
NBU 341-29E	022179000001	430473305500
NBU 342-35E	021206000001	430473221200
NBU 343-36E	021207000001	430473220500
NBU 349-07E	1 1	
NBU 352-10E		
	021534000001 021937000001	430473232600 430473251900



WELL NAMI	E	EOG PROPERTY #	API#
NBU 356-29E		021834000001	430473238300
NBU 358-1E		021942000001	430473238800
NBU 360-13E		021945000001	430473238700
NBU 382-18E		031002000001	430473306400
NBU 386-24E		031005000001	430473305600
NBU 388-19E		031134000001	430473305700
NBU 389-29E		031344000001	430473304900
NBU 390-4E		031316000001	430473283500
NBU 391-05E		031007000001	430473298800
NBU 393-13E		031008000001	430473307100
NBU 394-13E		031009000001	430473307200
NBU 400-11E		025576000001	430473254400
NBU 431-09E		031135000001	430473306900
NBU 481-03E		031136000001	430473306300
NBU 483-19E		031137000001	430473306500
NBU 489-07E		031329000001	4304733/2
NBU 490-30E	W. U-0581	031330000001	430473313500
NBU 497-1E		031337000001	430473312300
NBU 506-23E		031342000001	430473314000
NBU 508-8E		03130000001	430473312400
NBU STATE 1-32G	ML-22261	004470000001	430473031500
NBU STATE 2-36G		004471000001	430473051500
NDC 69-29 ORI	4-24230	010915000001	430473158000
NDK STORAGE		024739000001	
NDU 1-28	U-0576	004581000001	430473126900
OSCU II 1-34	4-49523	019777000001	430473203900
OSCU II 2-27 (DEV)	U-49518	001727000001	430473189800
OSCU II FED #1	4-49518	011041000001	430473172200
STG 1-32	ML-3085	005915000001	430471507100
STG 2-28	U-0803	005928000001	430471507200
STG 6-20	Indian	005936000001	430471507500
STG 11-22	U-025960	005919000001	430472019300
STG 14-34	4-9613	005922000001	430473059400
STG 15-27	U-1813	005923000001	430473060400
STG 18-17	Fee	005926000001	430473061100
STG 19-33	4-9613	005927000001	430473065700
STG 21-08	U-0283	005930000001	430473065900
STG 22-17	Indian	005931000001	430473129900
STG 33-17N	Indian	024128000001	430473244100
STG 41-20	U-019362A	021175000001	430473228000
STG 44-8N	U-0283	025122000001	430473252000
STG 48-17F	Indian	031389000001	430473272800
STG 50-20F	4-019302	031390000001	430473310400
STG 51-20F	Indian	031391000001	430473312000
STG 52-08N	U-0283	031745000001	430473283400



WELL NAME		EOG PROPERTY#	API#	
STG 53-08N	U-0283	032264000001	430473268200	
STG 56-20F	Indian	032265000001	430473337000	
STG 57-08N	U-0283	032266000001	430473337100	
WILD HORSE FED 2-26	4-3405	008266000001	430473188200	
WILD HORSE FED 2-35	U-3409	019139000001	430473190100	
WILD HORSE FED 3-26	U-43156	021869000001	430473237700	
WILD HORSE FED 3-35	U-3405	021871000001	430473238900	

Division of Oil, Gas and Mining				ROUTING:	
OPERATOR CHANGE WORKSHEET					6-KAS
Attach all documentation received by the Division regarding this change.					Agisp /
				3-JRB	8-FILE
Initial each listed item when completed. Write N/A if ite	m is not applicable.			4-CDW	
☐ Change of Operator (Well Sold)	☐ Designation of A	gent		5-KDR	
☐ Designation of Operator	Operator Name C	hange Only (ME	ERGER)		
The operator of the well(s) listed below has	changed, effective:	8-30-99	-		
TO:(New Operator) EOG RESOURCES IN	c. FROM:	(Old Operator)	ENRON O	IL & GAS CO	MPANY
Address: P.O. BOX 4362		Address:	P.O. BO		111 1111 1
HOUSTON, TX 772	10-4362			TX 77210	-4362
DEBBIE HAMRE	·····		DEBBIE	HAMRE	
Phone: (713)651-6				713) 651–671	4
Account No. <u>N9550</u>			Account N	Vo. <u>N0401</u>	
LL(S): Attach additional page(s) if needed.					
Name: **SEE ATTACHED** API: 4	3 04 7 3 2 100 Entity	s 2/a	т95 кда	75 I 2000	
Name: API: API:		SS	T R	Lease:	
Name: API:	Entity:	:S	TR_	Lease:	
Name: API:	Entity:	S	TR	_	· · · · · · · · · · · · · · · · · · ·
Name: API: API: API:	Entity: Entity:	SS	TR_ T R	Lease: Lease:	
Name	Littly				
OPERATOR CHANGE DOCUMENTA	FION				
(R649-8-10) Sundry or other leform) on 10,7,99.	gal documentation has b	een received from	n the FORI	MER operator	(attach to this
<u>YML</u> 2. (R649-8-10) Sundry or other le	gal documentation has b	een received from	n the NEW	operator on 1	0.7.99
The new company has been loc	sked un in the Denartme	nt of Commerce	Division (of Cornoration	ns Datahase
if the new operator above is no			•	-	
Yes/No If yes, the company fi					
operator on	 4.5. 				
VA Federal and Indian Logic W		DIA has ammass		-4h f	- 1111o
Federal and Indian Lease We listed above involving Federal	and/or Indian leases. β	M-RUL 10	·20 · 99	nor change for	all wens
11/4	61	A-Rec'd 3.	10.99		_
Federal and Indian Lease We listed above involving Federal Federal and Indian Units. The and all wells listed above involved. Federal and Indian Community.	e BLM and/or the BIA he wing unit operations.	as approved the c	operator cha - DUU -	inge for the	oved unit
. 1 0.		,	W. Colonial	viiv yr	
Federal and Indian Commun operator change for CA (Federal					
* For wells located on a CA (st Thompson at the S.L. Office be		f the sundry notic	e of all wel	ls involved to	Teresa

7.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
KDR 8.	Changes have been entered in the Oil and Gas Information System for each well listed on 1:31:200 3:10:00 Gy
<u> </u>	Changes have been entered in RBDMS for each water/gas injection, water disposal well listed on
10.	Changes have been included on the monthly "Operator, Address, and Account Changes" memo on
YDR 11.	An Operator Change File has been set up, and a copy of this page has been placed there for reference during routing and processing of the original documents.
ENTITY R	EVIEW
KDR 1.	(R649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? Yes/No If entity assignments were changed, attach copies of Form 6, Entity Action Form.
YDR 2.	Tax Commission, Trust Lands, and Forestry, Fire & State Lands have been notified through normal procedures of entity changes.
BOND VER	RIFICATION - (FEE LEASE WELLS)
YDP 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond. Lider #JT - 1230 Lff 10.4.99 St. Paul Fire & Maurie (80,000)
<u></u> 2.	A copy of this form has been placed in the new and former operator's bond files on
<u>LDR</u> 3.	The FORMER operator has requested a release of liability from their bond as of todays date \(\lambda b, \(\lambda \text{Lider} \). If yes, Division response was made to this request by letter dated (see bond file).
LEASE INT	TEREST OWNER NOTIFICATION OF RESPONSIBILITY
<u>PDP</u> 1.	E-mail sent on to at SITLA for changes involving State leases. (Wait two weeks before changing, unless the Division hears otherwise.) (8) 100 Statewide) St. Faul fire manne
<u>VDP</u> 2.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated 2:1:2000, of their responsibility to notify all interest owners of this change.
FILMING 1.	All attachments to this form have been microfilmed on APR. 2 4 2001
FILING 1.	Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form, and the original attachments have been filed in the Operator file(s).
COMMENT	rs